

Safety Data Sheet

SECTION 1: Identification of the substance/mixture and of the company/undertaking

according to Regulation (EC) No. 1907/2006 (REACH) Date of issue: 1/4/2018 Revision date: 1/4/2018 Version: 1.00

1.1.	Product identifier		
Trade name		: Bechtozid Premium	
1.2.	Relevant identified uses of the	substance or mixture and uses advised against	
1.2.1.	Relevant identified uses		
Use of t	the substance/mixture	: disinfectants Cleaning agent Medical device	
1.2.2.	Uses advised against		
No add	itional information available		
1.3.	Details of the supplier of the sa	fety data sheet	
Carl-Ze P.O. Bo 77656	Becht GmbH iss-Str. 16	Email competent person sds@kft.de	
1.4.	Emergency telephone number		
Emerge	ency number	: National Poison Information Service (NPIS) 24 hour national number professionals only 0844 892 0111	
		National Health Service (NHS) 24 hour national number consumer England and Scotland: 111 Wales: 0845 46 47 Northern Ireland: call your local General Practitioner	
		Call 999 if there is a life-threatening incident.	
SECT	ION 2: Hazards identification	on	
2.1.	Classification of the substance	or mixture	

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Flammable liquids, Category 2	H225
Skin corrosion/irritation, Category 2	H315
Serious eye damage/eye irritation, Category 2	H319

Full text of H statements : see section 16

Adverse physicochemical, human health and environmental effects

Highly flammable liquid and vapour. Causes skin irritation. Causes serious eye irritation.

2.2. Label elements

Labelling according to Regulation	(EC) No. 1272/2008 [CLP]
-----------------------------------	--------------------------

Hazard pictograms (CLP)	HS02 GHS07
Signal word (CLP)	: Danger
Hazard statements (CLP)	: H225 - Highly flammable liquid and vapour. H315 - Causes skin irritation. H319 - Causes serious eye irritation.
Precautionary statements (CLP)	 P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. P233 - Keep container tightly closed. P280 - Wear protective gloves, protective clothing, eye protection, face protection. P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

contact lenses, if present and easy to do. Continue rinsing. P337+P313 - If eye irritation persists: Get medical advice/attention. P332+P313 - If skin irritation occurs: Get medical advice/attention.

2.3. Other hazards

This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
ethanol	(CAS-No.) 64-17-5 (EC-No.) 200-578-6 (EC Index-No.) 603-002-00-5 (REACH-no) 01-2119457610-43-xxxx	50 - 70	Flam. Liq. 2, H225 Eye Irrit. 2, H319
Specific concentration limits:			
Name	Product identifier	Specific c	oncentration limits
ethanol	(CAS-No.) 64-17-5 (EC-No.) 200-578-6 (EC Index-No.) 603-002-00-5 (REACH-no) 01-2119457610-43-xxxx	(50 = <c 1<="" <="" td=""><td>100) Eye Irrit. 2, H319</td></c>	100) Eye Irrit. 2, H319

Full text of H-statements: see section 16

SECTION 4: First aid measures		
4.1. Description of first aid measures		
First-aid measures general	: Take off immediately all contaminated clothing. In all cases of doubt, or when symptoms persist, seek medical attention.	
First-aid measures after inhalation	: Remove person to fresh air and keep comfortable for breathing.	
First-aid measures after skin contact	: Rinse skin with water/shower. Take off immediately all contaminated clothing. If skin irritation occurs: Get medical advice/attention.	
First-aid measures after eye contact	: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.	
First-aid measures after ingestion	: Rinse mouth. Drink plenty of water. Call a poison center or a doctor if you feel unwell.	
4.2. Most important symptoms and effe	ects, both acute and delayed	
Symptoms/effects after skin contact	: Irritation.	
Symptoms/effects after eye contact	: Eye irritation.	
4.3. Indication of any immediate medic Treat symptomatically.	al attention and special treatment needed	

5.1.	Extinguishing media		
Suitable	e extinguishing media	: Water spray. Dry powder. Carbon dioxide. Alcohol resistant foam.	
Unsuita	able extinguishing media	: Strong water jet.	
5.2.	Special hazards arising from the su	bstance or mixture	
Fire haz	zard	: Highly flammable liquid and vapour.	
Hazard fire	ous decomposition products in case of	: Toxic fumes may be released. Carbon dioxide. Carbon monoxide. Nitrogen oxides.	
5.3.	Advice for firefighters		
Firefigh	nting instructions	: Protect container with water spray.	
Protect	ion during firefighting	: Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.	
Other ir	nformation	Do not allow run-off from fire fighting to enter drains or water courses. Disposal must be don according to official regulations.	

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

SECT	ION 6: Accidental relea	se measures	
6.1.	Personal precautions, protective equipment and emergency procedures		
6.1.1.	For non-emergency personnel		
Emerge	ency procedures	: Ventilate spillage area. No open flames, no sparks, and no smoking. Avoid contact with skin and eyes.	
6.1.2.	For emergency responder	5	
Protecti	ve equipment	: Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".	
6.2. Avoid s	Environmental precautions d sub-soil penetration. Prevent entry to sewers and public waters.		
6.3.	Methods and material for containment and cleaning up		
Method	s for cleaning up	: Cover spill with non combustible material, e.g.: sand/earth. Notify authorities if product enters sewers or public waters. Take up mechanically (sweeping, shovelling) and collect in suitable container for disposal.	
Other ir	nformation	: Disposal must be done according to official regulations.	

6.4. Reference to other sections

Information for safe handling. See section 7. Concerning personal protective equipment to use, see section 8. For further information refer to section 13.

SECTION 7: Handling and storage		
7.1. Precautions for safe handling		
Additional hazards when processed	: In use, may form flammable vapour-air mixture. Handle empty containers with care because residual vapours are flammable.	
Precautions for safe handling	Ensure good ventilation of the work station. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Ground/bond container and receiving equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Flammable vapours may accumulate in the container. Use explosion-proof equipment. Wear personal protective equipment. Avoid contact with skin and eyes.	
Hygiene measures	: Wash contaminated clothing before reuse. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.	
7.2. Conditions for safe storage, includi	ing any incompatibilities	
Technical measures	Ground/bond container and receiving equipment.	
Storage conditions	: Store in a well-ventilated place. Keep cool. Keep container tightly closed.	
Maximum storage period	: 2.5 year(s)	
Storage temperature	: 0 - 25 °C	
Heat and ignition sources	: Keep away from heat and direct sunlight.	
Information about storage in one common storage facility	: Keep away from food, drink and animal feeding stuffs.	
Packaging materials	: plastic.	
7.3 Specific and use(s)		

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

ethanol (64-17-5)		
United Kingdom	Local name	Ethanol
United Kingdom	WEL TWA (mg/m ³)	1920 mg/m ³
United Kingdom	WEL TWA (ppm)	1000 ppm
United Kingdom	Regulatory reference	EH40. HSE

ethanol (64-17-5)		
DNEL/DMEL (Workers)		
Long-term - systemic effects, dermal	343 mg/kg bodyweight/day	
Long-term - systemic effects, inhalation	950 mg/m ³	
Long-term - local effects, inhalation	1900 mg/m ³	
DNEL/DMEL (General population)		
Acute - local effects, inhalation	950 mg/m ³	
Long-term - systemic effects,oral	87 mg/kg bodyweight/day	
Long-term - systemic effects, inhalation	114 mg/m ³	
Long-term - systemic effects, dermal	206 mg/kg bodyweight/day	
PNEC (Water)		
		-

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

PNEC aqua (freshwater)	0.96 mg/l	
PNEC aqua (marine water)	0.79 mg/l	
PNEC (Sediment)	· · ·	
PNEC sediment (freshwater)	3.6 mg/kg dwt	
PNEC sediment (marine water)	2.9 mg/kg dwt	
PNEC (Soil)		
PNEC soil	0.63 mg/kg dwt	
PNEC (Oral)		
PNEC oral (secondary poisoning)	0.38 kg/kg food	
PNEC (STP)		
PNEC sewage treatment plant	580 mg/l	

8.2. Exposure controls

Appropriate engineering controls:

Ensure good ventilation of the work station.

Hand protection:

In case of repeated or prolonged contact wear gloves. EN 374. Choosing the proper glove is a decision that depends not only on the type of material, but also on other quality features, which differ for each manufacturer. Please follow the instructions related to the permeability and the penetration time provided by the manufacturer. Gloves must be replaced after each use and whenever signs of wear or perforation appear

Туре	Material	Permeation	Thickness (mm)	Penetration	Standard
Chemically resistant protective gloves	Butyl rubber	6 (> 480 minutes)	0,4	3 (> 0.65)	EN 374

Eye protection:

Wear closed safety glasses. EN 166

Skin and body protection:

Wear suitable protective clothing

Respiratory protection:

In case of insufficient ventilation, wear suitable respiratory equipment. EN 143. Short term exposure. Breathing apparatus with filter. A-P2. . Breathing equipment is only to be used in order to handle the residual risk of short term jobs if all other risk minimizing measures have been carried out e.g. retention and/or local exhaust

Environmental exposure controls:

Avoid release to the environment.

Other information:

Do not breathe vapours, Aerosol. Take off immediately all contaminated clothing. Do not eat, drink or smoke when using this product. Avoid contact with skin and eyes. Always wash hands after handling the product.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties				
Physical state	: Liquid			
Appearance	: clear.			
Colour	: colourless.			
Odour	: acetone odour. perfumed.			
Odour threshold	: No data available			
рН	: 11.2 - 11.4 (20 °C; 100 g/l)			
Relative evaporation rate (butylacetate=1)	: No data available			
Melting point	: Not applicable			
Freezing point	: No data available			
Boiling point	: > 78 °C DIN 51 751			
Flash point	: 15 °C (calculated)			
Auto-ignition temperature	: Not self-igniting			
Decomposition temperature	: No data available			
Flammability (solid, gas)	: Not applicable			
Vapour pressure	: ≈ 30 hPa (calculated)			
Relative vapour density at 20 °C	: No data available			
Relative density	: No data available			
Density	: 0.895 g/cm ³			

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

Solubility	: Water: completely miscible
Log Pow	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
Explosive properties	: Product is not explosive. Explosive vapour/air mixtures may be formed.
Oxidising properties	: No data available
Lower explosive limit (LEL)	: 3.5 (Ethanol)
Upper explosive limit (UEL)	: 35 (Ethanol)

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

Highly flammable liquid and vapour.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

Avoid contact with hot surfaces. Heat. No flames, no sparks. Eliminate all sources of ignition.

10.5. Incompatible materials

Acids.

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information					
11.1. Information on toxicological effects	S				
Acute toxicity (oral)	: Not classified (Based on available data, the classification criteria are not met)				
Acute toxicity (dermal)	: Not classified (Based on available data, the classification criteria are not met)				
Acute toxicity (inhalation)	: Not classified (Based on available data, the classification criteria are not met)				
Bechtozid Premium					
LD50 oral rat	> 8000 mg/kg bodyweight (calculated)				
Skin corrosion/irritation	: Causes skin irritation.				
	pH: 11.2 - 11.4 (20 °C; 100 g/l)				
Serious eye damage/irritation	: Causes serious eye irritation.				
	pH: 11.2 - 11.4 (20 °C; 100 g/l)				
Respiratory or skin sensitisation	: Not classified (Based on available data, the classification criteria are not met)				
Additional information	: May cause sensitisation of susceptible persons by skin contact				
Germ cell mutagenicity	: Not classified (Based on available data, the classification criteria are not met)				
Carcinogenicity	: Not classified (Based on available data, the classification criteria are not met)				
Reproductive toxicity	: Not classified (Based on available data, the classification criteria are not met)				
STOT-single exposure	: Not classified (Based on available data, the classification criteria are not met)				
STOT-repeated exposure	: Not classified (Based on available data, the classification criteria are not met)				
Aspiration hazard	: Not classified (Based on available data, the classification criteria are not met)				

SECTION 12: Ecological information 12.1. Toxicity Acute aquatic toxicity : Not classified (Based on available data, the classification criteria are not met)

 Not classified 	(Based on available da	a the classification	criteria are not met)

12.2. Persistence and degradability

Chronic aquatic toxicity

Bechtozid Premium		
Persistence and degradability	The product has not been tested.	

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

ethanol (64-17-5)				
Persistence and degradability	Readily biodegradable.			
Biodegradation	97 % (28 d)			
12.3. Bioaccumulative potential				
Bechtozid Premium				
Bioaccumulative potential	The product has not been tested.			
ethanol (64-17-5)				
Log Kow	-0.31			
Bioaccumulative potential	Bioaccumulation unlikely.			
12.4. Mobility in soil				
Bechtozid Premium				
cology - soil The product has not been tested.				
ethanol (64-17-5)				
Ecology - soil No additional information available.				
12.5. Results of PBT and vPvB assessment				
Bechtozid Premium				
This substance/mixture does not meet the	PBT criteria of REACH regulation, annex XIII			
This substance/mixture does not meet the	vPvB criteria of REACH regulation, annex XIII			
Component				
ethanol (64-17-5)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII			

12.6. Other adverse effects

No additional information available

SECTION 13: Disposal considerations				
13.1. Waste treatment methods				
Waste treatment methods	: Disposal must be done according to official regulations. European waste catalogue. Do not dispose of with domestic waste. Do not discharge into drains or the environment.			
Additional information	: Flammable vapours may accumulate in the container.			
European List of Waste (LoW) code	 07 06 99 - wastes not otherwise specified 15 01 10* - packaging containing residues of or contaminated by dangerous substances 			
HP Code	 HP3 - "Flammable:" flammable liquid waste: liquid waste having a flash point below 60 °C or waste gas oil, diesel and light heating oils having a flash point > 55 °C and ≤ 75 °C; flammable pyrophoric liquid and solid waste: solid or liquid waste which, even in small quantities, is liable to ignite within five minutes after coming into contact with air; flammable solid waste: solid waste which is readily combustible or may cause or contribute to fire through friction; flammable gaseous waste: gaseous waste which is flammable in air at 20 °C and a standard pressure of 101.3 kPa; water reactive waste: waste which, in contact with water, emits flammable gases in dangerous quantities; other flammable waste: flammable aerosols, flammable self-heating waste, flammable organic peroxides and flammable self-reactive waste. HP4 - "Irritant — skin irritation and eye damage:" waste which on application can cause skin irritation or damage to the eye. 			

SECTION 14: Transport information

ADR	IMDG	IATA	ADN	RID
14.1. UN number	•	•		
1170	1170	1170	1170	1170
14.2. UN proper shippi	ng name	•	•	
ETHANOL SOLUTION (ETHYL ALCOHOL SOLUTION)	ETHANOL SOLUTION (ETHYL ALCOHOL SOLUTION)	Ethanol solution	ETHANOL SOLUTION (ETHYL ALCOHOL SOLUTION)	ETHANOL SOLUTION (ETHYL ALCOHOL SOLUTION)
Transport document descr	iption	·	•	
UN 1170 ETHANOL SOLUTION (ETHYL ALCOHOL SOLUTION), 3, II, (D/E)	UN 1170 ETHANOL SOLUTION (ETHYL ALCOHOL SOLUTION), 3, II	UN 1170 Ethanol solution, 3, II	UN 1170 ETHANOL SOLUTION (ETHYL ALCOHOL SOLUTION), 3, II	UN 1170 ETHANOL SOLUTION (ETHYL ALCOHOL SOLUTION), 3 II
14.3. Transport hazard	class(es)			
3	3	3	3	3

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

				3	
14.4. Packing group					
П	П	Ш	П	Ш	
14.5. Environmental h	14.5. Environmental hazards				
Dangerous for the environment : No	Dangerous for the environment : No Marine pollutant : No	Dangerous for the environment : No	Dangerous for the environment : No	Dangerous for the environment : No	
No supplementary information available					

14.6. Special precautions for user

- Overland transport Classification code (ADR) Special provisions (ADR) Limited quantities (ADR) Excepted quantities (ADR) Transport category (ADR) Hazard identification number (Kemler No.) Orange plates	: F1 : 144, 601 : 11 : E2 : 2 : 33 : 33 : 33 1170
Tunnel restriction code (ADR) EAC code	: D/E : •2YE
- Transport by sea Special provisions (IMDG) Limited quantities (IMDG) Excepted quantities (IMDG) EmS-No. (Fire) EmS-No. (Spillage)	: 144 : 1 L : E2 : F-E : S-D
 Air transport PCA Excepted quantities (IATA) PCA Limited quantities (IATA) PCA limited quantity max net quantity (IATA) PCA packing instructions (IATA) PCA max net quantity (IATA) CAO max net quantity (IATA) Special provisions (IATA) 	: E2 : Y341 : 1L : 353 : 5L : 60L : A3, A58, A180
- Inland waterway transport Classification code (ADN) Special provisions (ADN) Limited quantities (ADN) Excepted quantities (ADN) Carriage permitted (ADN)	: F1 : 144,601 : 1 L : E2 : T
- Rail transport Classification code (RID) Special provisions (RID) Limited quantities (RID) Excepted quantities (RID) Transport category (RID) Hazard identification number (RID)	: F1 : 144, 601 : 1L : E2 : 2 : 33

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code Not applicable

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

The following restrictions are applicable according to Annex XVII of the REACH Regulation (EC) No 1907/2006:

3(a) Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard classes 2.1 to 2.4, 2.6 and 2.7, 2.8 types A and B, 2.9, 2.10, 2.12, 2.13 categories 1 and 2, 2.14 categories 1 and 2, 2.15 types A to F	Bechtozid Premium - ethanol
3(b) Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard classes 3.1 to 3.6, 3.7 adverse effects on sexual function and fertility or on development, 3.8 effects other than narcotic effects, 3.9 and 3.10	Bechtozid Premium - ethanol

Contains no substance on the REACH candidate list ≥ 0,1 % / SCL

Contains no REACH Annex XIV substances in concentration ≥ to the Annex XIV limit values

Other information, restriction and prohibition regulations	: Take note of Directive 94/33/EC on the protection of young people at work.
Directive 2012/18/EU (SEVESO III)	: P5c FLAMMABLE LIQUIDS Flammable liquids, Categories 2 or 3 not covered by P5a and P5b

15.1.2. National regulations

No additional information available

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

SECTION 16: Other information

Abbreviations	and acronyms:		
ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways		
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road		
ATE	Acute Toxicity Estimate		
BCF	Bioconcentration factor		
CLP	Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008		
DMEL	Derived Minimal Effect level		
DNEL	Derived-No Effect Level		
DPD	Dangerous Preparations Directive 1999/45/EC		
DSD	Dangerous Substances Directive 67/548/EEC		
EC50	Median effective concentration		
IARC	International Agency for Research on Cancer		
IATA	International Air Transport Association		
IMDG	International Maritime Dangerous Goods		
LC50	Median lethal concentration		
LD50	Median lethal dose		
LOAEL	Lowest Observed Adverse Effect Level		
NOAEC	No-Observed Adverse Effect Concentration		
NOAEL	No-Observed Adverse Effect Level		
NOEC	No-Observed Effect Concentration		
OECD	Organisation for Economic Co-operation and Development		
PBT	Persistent Bioaccumulative Toxic		
PNEC	Predicted No-Effect Concentration		
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals Regulation (EC) No 1907/2006		
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail		
SDS	Safety Data Sheet		
STP	Sewage treatment plant		
TLM	Median Tolerance Limit		
vPvB	Very Persistent and Very Bioaccumulative		
Data sources	: ECHA (European Chemicals Agency). MSDSs of the suppliers. Information provided by the manufacturer.		
Department issuing data specification sheet: Im Leuschnerpark. 3 64347 Griesheim Postfach 1451 64345 Griesheim Germany			

Phone: +49 6155-8981-400 Fax: +49 6155 8981-500 Safety Data Sheet Service: +49 6155 8981-522

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

: Dr. Johann Klassen	
x.	
Serious eye damage/eye irritation, Category 2	
Flammable liquids, Category 2	
Skin corrosion/irritation, Category 2	
Highly flammable liquid and vapour.	
Causes skin irritation.	
Causes serious eye irritation.	

Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:

Flam. Liq. 2	H225	On basis of test data
Skin Irrit. 2	H315	Expert judgment
Eye Irrit. 2	H319	Calculation method

KFT SDS EU 00

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product