

Printing date 27.09.2023

Version number 2

SECTION 1: Identification of the substance/mixture and of the company/undertaking

· 1.1 Product identifier

· Trade name: CLEARFIL Universal Bond Quick

- Article number: 219
- Registration number Not applicable
- · 1.2 Relevant identified uses of the substance or mixture and uses advised against
- No further relevant information available.
- · Application of the substance / the mixture Dental material

· 1.3 Details of the supplier of the safety data sheet

· Supplier :

Kuraray Europe GmbH Philipp-Reis-Str. 4,

65795 Hattersheim am Main Germany Phone: +49 (0)69 305 35 835

E-mail: dental.eu@kuraray.com

- · Further information obtainable from: Supplier
- · 1.4 Emergency telephone number:

[United Kingdom] National Poisons Information Service (NPIS): +44 (0)344 892 0111 Only for NHS and other healthcare professionals

3E Company; (UK) 0 800 680 0425 (GB) +44 20 35147487 (AU) +61 2 80363166 *Kuraray Access Code: 334674

SECTION 2: Hazards identification

· 2.1 Classification of the substance or mixture

· Classification according to Regulation (EC) No 1272/2008

Flam. Liq. 3 H226 Flammable liquid and vapour.

Skin Irrit. 2 H315 Causes skin irritation.

Eye Irrit. 2 H319 Causes serious eye irritation.

Skin Sens. 1 H317 May cause an allergic skin reaction.

· Additional information

Medical devices as defined in Regulation (EU) 2017/745 and which are invasive or used in direct physical contact with the human body, are exempted from the provisions of Regulation (EC) No 1272/2008 (GB CLP/ GHS) usually if they are in the finished state and intended for the final user.

· 2.2 Label elements

· Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the GB CLP regulation.

· Hazard pictograms



011502 011507

· Signal word Warning

· Hazard-determining components of labelling:

2-hydroxyethyl methacrylate

phenyl bis(2,4,6-trimethylbenzoyl)-phosphine oxide

- · Hazard statements
- H226 Flammable liquid and vapour.
- H315 Causes skin irritation.
- H319 Causes serious eye irritation.
- H317 May cause an allergic skin reaction.

(Contd. on page 2)



according to 1907/2006/EC, Article 31 Printing date 27.09.2023

Version number 2

Safety data sheet

Revision date: 27.09.2023

Trade name: CLEARFIL Universal Bond Quick

	(Contd. of page 1)
Precautionary sta	atements
P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P233	Keep container tightly closed.
P240	Ground and bond container and receiving equipment.
P241	Use explosion-proof [electrical/ventilating/lighting] equipment.
P261	Avoid breathing dust/fume/gas/mist/vapours/spray.
P280	Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.
P303+P361+P353	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P403+P235	Store in a well-ventilated place. Keep cool.
P501	Dispose of contents/container in accordance with local/regional/national/international regulations.
2.3 Other hazard	s

· Results of PBT and vPvB assessment

• **PBT:** Not applicable.

· vPvB: Not applicable.

SECTION 3: Composition/information on ingredients

· 3.2 Mixtures

• Description: Mixture of substances listed below with nonhazardous additions.

· Dangerous components:

Dungerous components.		
	-2 Bisphenol A diglycidylmethacrylate	
EINECS: 216-367-7	🐼 Skin Irrit. 2, H315; Eye Irrit. 2, H319	
CAS: 64-17-5	ethanol	10-25%
	🚸 Flam. Liq. 2, H225	
		2.5-10%
EINECS: 212-782-2	🐼 Skin Irrit. 2, H315; Eye Irrit. 2, H319; Skin Sens. 1, H317	
CAS: 162881-26-7	phenyl bis(2,4,6-trimethylbenzoyl)-phosphine oxide	<1%
ELINCS: 423-340-5	🐼 Skin Sens. 1A, H317; Aquatic Chronic 4, H413	
· Other ingredients:		

Water

Hydrophilic amide monomer

10-Methacryloyloxydecyl dihydrogen phosphate

Silanated amorphous silica

dl-Camphorquinone

· Additional information: Silicon oxide; Nanoform, Silanated amorphous silica, particle size 1 - 100 nm

SECTION 4: First aid measures

· 4.1 Description of first aid measures

· General information:

Avoid contact with eyes.

Avoid contact with skin.

· After inhalation:

Supply fresh air and to be sure call for a doctor.

In case of unconsciousness place patient stably in side position for transportation.

· After skin contact:

Immediately wash with water and soap and rinse thoroughly.

If skin irritation continues, consult a doctor.

(Contd. on page 3)



Printing date 27.09.2023

Version number 2

Trade name: CLEARFIL Universal Bond Quick

· After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

- After swallowing: If symptoms persist consult doctor.
- · 4.2 Most important symptoms and effects, both acute and delayed
- No further relevant information available.
- 4.3 Indication of any immediate medical attention and special treatment needed
- No further relevant information available.

SECTION 5: Firefighting measures

- · 5.1 Extinguishing media
- · Suitable extinguishing agents:
- CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- 5.2 Special hazards arising from the substance or mixture No further relevant information available.
- 5.3 Advice for firefighters
- · Protective equipment:
- Wear self-contained respiratory protective device.
- Wear fully protective suit.

SECTION 6: Accidental release measures

- 6.1 Personal precautions, protective equipment and emergency procedures See Section 8.
- · 6.2 Environmental precautions:
- Dilute with plenty of water.

Do not allow to enter sewers/ surface or ground water.

6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Ensure adequate ventilation.

- 6.4 Reference to other sections
- See Section 7 for information on safe handling.
- See Section 8 for information on personal protection equipment.
- See Section 13 for disposal information.

SECTION 7: Handling and storage

· 7.1 Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace. Prevent formation of aerosols.

· Information about fire - and explosion protection:

Keep ignition sources away - Do not smoke.

Protect against electrostatic charges.

- ·7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: Store in a refrigerator (2-8°C).
- · Information about storage in one common storage facility:
- Store away from oxidising agents.
- Store away from reducing agents.
- · Further information about storage conditions:
- Keep container tightly sealed.

Store in cool, dry conditions in well sealed receptacles.

- Protect from heat and direct sunlight.
- 7.3 Specific end use(s) No further relevant information available.

(Contd. on page 4)





Printing date 27.09.2023

Version number 2

Revision date: 27.09.2023

Trade name: CLEARFIL Universal Bond Quick

(Contd. of page 3)

SECTION 8: Exposure controls/personal protection

- · 8.1 Control parameters
- · Ingredients with limit values that require monitoring at the workplace:

64-17-5 ethanol

WEL Long-term value: 1920 mg/m³, 1000 ppm

· Additional information: The lists valid during the making were used as basis.

· 8.2 Exposure controls

- Appropriate engineering controls No further data; see section 7.
- · Personal protective equipment:
- General protective and hygienic measures:
- Keep away from foodstuffs, beverages and feed.
- Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

Respiratory protection:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

Hand protection



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Penetration time of glove material

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye/face protection



Tightly sealed goggles

SECTION 9: Physical and chemical properties • 9.1 Information on basic physical and chemical properties · Physical state Liquid Yellow · Colour: · Odour: Alcohol-like · Melting point/freezing point: Not determined · Boiling point or initial boiling point and boiling range Not determined · Flammability Not determined (Contd. on page 5)



Printing date 27.09.2023

Safety data sheet according to 1907/2006/EC, Article 31

Version number 2

Revision date: 27.09.2023

Trade name: CLEARFIL Universal Bond Quick

	(Contd. of page
Lower and upper explosion limit	
Lower:	Not determined
Upper:	Not determined
Flash point:	36 °C
Auto-ignition temperature:	Not determined
Decomposition temperature:	Not determined
pH at 20 °C	2.3
Viscosity:	Not determined
Kinematic viscosity	Not determined.
Dynamic:	Not determined.
Solubility	
water:	Not miscible or difficult to mix.
Partition coefficient n-octanol/water (log value)	Not determined.
Vapour pressure:	Not determined
Density and/or relative density	
Density:	1.1 g/cm^{3}
Relative density	Not determined
Relative vapour density	Not determined
environment, and on safety. Explosive properties:	Product is not explosive. However, formation of explosive air/vapour mixtures are possible.
Change in condition	explosive an vapour mixtures are possible.
Oxidising gases	Void
Gases under pressure	Void
Flammable liquids	Flammable liquid and vapour.
Flammable solids	Void
Self-reactive substances and mixtures	Void
Pyrophoric liquids	Void
Pyrophoric solids	Void
Self-heating substances and mixtures	Void
Substances and mixtures, which emit flammable	
gases in contact with water	Void
Oxidising liquids	Void
Oxidising solids	Void
Organic peroxides	Void
Corrosive to metals	Void
Desensitised explosives	Void

SECTION 10: Stability and reactivity

· 10.1 Reactivity No further relevant information available.

· 10.2 Chemical stability

• Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.

- \cdot 10.3 Possibility of hazardous reactions No dangerous reactions known.
- 10.4 Conditions to avoid No further relevant information available.
- 10.5 Incompatible materials: No further relevant information available.

· 10.6 Hazardous decomposition products:

Carbon monoxide and carbon dioxide

Nitrogen oxides (NOx)

(Contd. on page 6)



Printing date 27.09.2023

Safety data sheet according to 1907/2006/EC, Article 31

Version number 2

Revision date: 27.09.2023

Trade name: CLEARFIL Universal Bond Quick

(Contd. of page 5)

SECTION 11: Toxicological information

· 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008 • Acute toxicity Based on available data, the classification criteria are not met.

· LD/LC50 values relevant	for classification:

64-17-5 et	64-17-5 ethanol		
Oral	LD50	3450 mg/kg (mouse)	
		7060 mg/kg (rat)	
Inhalative	LC50/4 h	20000 mg/l (rat)	
	LD50	3600 mg/kg (rat - intraperioneal)	
868-77-9 2-hydroxyethyl methacrylate			
Oral	LD50	4680 mg/kg (guinea pig)	
		3275 mg/kg (mouse)	
		5050 mg/kg (rat)	

· Skin corrosion/irritation Causes skin irriation.

· Serious eye damage/irritation Causes serious eye irritation.

- · Respiratory or skin sensitisation May cause an allergic skin reaction.
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- **Reproductive toxicity** Based on available data, the classification criteria are not met.
- STOT-single exposure Based on available data, the classification criteria are not met.
- STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.
- · 11.2 Information on other hazards

· Endocrine disrupting properties

None of the ingredients is listed.

SECTION 12: Ecological information

- · 12.1 Toxicity
- · Aquatic toxicity: No further relevant information available.
- 12.2 Persistence and degradability No further relevant information available.
- 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- · 12.5 Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.
- 12.6 Endocrine disrupting properties For information on endocrine disrupting properties see section 11.
- · 12.7 Other adverse effects
- · Additional ecological information:
- · General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

SECTION 13: Disposal considerations

- · 13.1 Waste treatment methods
- · Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system. (Contd. on page 7)

GR

(Contd. of page 6)



Safety data sheet according to 1907/2006/EC, Article 31

Printing date 27.09.2023

Version number 2

Revision date: 27.09.2023

Trade name: CLEARFIL Universal Bond Quick

· Uncleaned packaging:

• Recommendation: Disposal must be made according to official regulations.

SECTION 14: Transport information	
· 14.1 UN number or ID number · ADR, IMDG, IATA	UN1170
· 14.2 UN proper shipping name · ADR	1170 ETHANOL (ETHYL ALCOHOL) mixture
· 14.3 Transport hazard class(es)	
· ADR, IMDG, IATA	
· Class · Label	3 Flammable liquids. 3
· 14.4 Packing group · ADR, IMDG, IATA	III
· 14.5 Environmental hazards: · Marine pollutant:	No
 14.6 Special precautions for user Hazard identification number (Kemler code): EMS Number: Stowage Category 	Warning: Flammable liquids. 30 F-E,S-D A
• 14.7 Maritime transport in bulk according to IM instruments	IO Not applicable.
· Transport/Additional information:	
· ADR · Limited quantities (LQ) · Excepted quantities (EQ)	5L Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml
· Transport category · Tunnel restriction code	3 D/E
 IMDG Limited quantities (LQ) Excepted quantities (EQ) 	5L Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml
· UN "Model Regulation":	UN 1170 ETHANOL (ETHYL ALCOHOL) MIXTURE, 3, III

SECTION 15: Regulatory information

*

• 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture • Directive 94/33/EC: Care should be taken when people under 18 handle this product.

(Contd. on page 8)

GB



Printing date 27.09.2023

Version number 2

Revision date: 27.09.2023

Trade name: CLEARFIL Universal Bond Quick

(Contd. of page 7)

- Directive 94/85/EEC: No further relevant information available.
- · Named dangerous substances ANNEX I None of the ingredient is listed.
- · Seveso category FLAMMABLE LIQUIDS
- · Qualifying quantity (tonnes) for the application of lower-tier requirements 5,000 t
- Qualifying quantity (tonnes) for the application of upper-tier requirements 50,000 t
- · Regulation (EU) No 649/2012
- · Regulation (EC) No 273/2004 on drug precursors

None of the ingredients is listed.

• Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors

None of the ingredients is listed.

• 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Relevant phrases

- H225 Highly flammable liquid and vapour.
- H315 Causes skin irritation.
- H317 May cause an allergic skin reaction.
- H319 Causes serious eye irritation.
- H413 May cause long lasting harmful effects to aquatic life.
- Abbreviations and acronyms:

ELINCS: European List of Notified Chemical Substances

Flam. Liq. 2: Flammable liquids - Category 2

Flam. Liq. 3: Flammable liquids – Category 3 Skin Irrit. 2: Skin corrosion/irritation – Category 2

- Eye Irrit. 2: Serious eye damage/eye irritation Category 2
- Skin Sens. 1: Skin sensitisation Category 1

Skin Sens. 1A: Skin sensitisation - Category 1A

Aquatic Chronic 4: Hazardous to the aquatic environment - long-term aquatic hazard - Category 4

• * Data compared to the previous version altered.



Printing date 07.04.2023

Version number 5

Revision date: 07.04.2023

SECTION 1: Identification of the substance/mixture and of the company/undertaking

· 1.1 Product identifier

• Trade name: CLEARFIL DC CORE PLUS ; A & B Paste

- Article number: 162
- Registration number Not applicable

· 1.2 Relevant identified uses of the substance or mixture and uses advised against

- No further relevant information available.
- · Application of the substance / the mixture Core build-up material

· 1.3 Details of the supplier of the safety data sheet

Supplier : Kuraray Europe GmbH Philipp-Reis-Str. 4, 65795 Hattersheim am Main Germany Phone: +49 (0)69 305 35 835 E-mail: dental.eu@kuraray.com
Further information obtainable from: Supplier
1.4 Emergency telephone number: (UK) 0 800 680 0425

- (GB) +44 20 35147487
- (AU)+61 2 80363166
- * 3E Company
- * Kuraray Access Code:334674

SECTION 2: Hazards identification

· 2.1 Classification of the substance or mixture

- · Classification according to Regulation (EC) No 1272/2008
- The product is not classified, according to the GB CLP regulation.
- · Additional information :

Medical devices as defined in Regulation (EU) 2017/745 and which are invasive or used in direct physical contact with the human body, are exempted from the provisions of Regulation (EC) No 1272/2008 (GB CLP/ GHS) usually if they are in the finished state and intended for the final user.

- · 2.2 Label elements
- · Labelling according to Regulation (EC) No 1272/2008 Void
- · Hazard pictograms Void
- · Signal word Void
- · Hazard statements Void
- · Labelling of packages where the contents do not exceed 125 ml
- · Precautionary statements

EUH208: Contains benzoyl peroxide. May produce an allergic reaction. EUH210: Safety data sheet available on request.

- EUH210: Safety data sheet available on a
- 2.3 Other hazards
- · Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- **vPvB:** Not applicable.

SECTION 3: Composition/information on ingredients

· 3.2 Mixtures

• Description: Mixture of substances listed below with nonhazardous additions.

· Dangerous components:

(Contd. on page 2)

<5%

GB



Printing date 07.04.2023

Version number 5

Trade name: CLEARFIL DC CORE PLUS ; A & B Paste

	(Contd	. of page 1)
CAS: 1344-28-1	aluminium oxide	<5%
EINECS: 215-691-6	substance with a Community workplace exposure limit	
CAS: 109-16-0	Triethyleneglycol dimethacrylate	<4%
EINECS: 203-652-6	♦ Skin Irrit. 2, H315; Eye Irrit. 2, H319; STOT SE 3, H335	-1
CAS: 94-36-0	benzoyl peroxide	<1%
EINECS: 202-327-6	♦ ♦ Self-react. B, H241; Org. Perox. B, H241; ♦ Eye Irrit. 2, H319; Skin Sens. 1, H317	
• Other ingredients:		
Silanated barium glas		
Hydrophobic aromati	Hydrophobic aromatic dimethacrylate	
Hydrophilic aliphatic dimethacrylate		
	Hydrophobic aliphatic dimethacrylate Silanated amorphous silica	
Silanated amorphous		
Amorphous silica Accelerators		
dl-Camphorquinone	dl-Camphorquinone	
Initiators		
Pigments		
· Additional informat	tion:	
Silicon oxide; Nanof	orm, Amorphous silica and Silanated amorphous silica, particle size 1 - 100 nm	
	Aluminium oxide; Nanoform, particle size 1 - 100 nm	
-	-	

SECTION 4: First aid measures

· 4.1 Description of first aid measures

· After inhalation:

Supply fresh air and to be sure call for a doctor.

In case of unconsciousness place patient stably in side position for transportation.

- After skin contact: Generally the product does not irritate the skin.
- · After eye contact: Rinse opened eye for several minutes under running water.
- · After swallowing: Do not induce vomiting; call for medical help immediately.
- · 4.2 Most important symptoms and effects, both acute and delayed
- No further relevant information available.

 \cdot 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

SECTION 5: Firefighting measures

- · 5.1 Extinguishing media
- · Suitable extinguishing agents:

CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

- 5.2 Special hazards arising from the substance or mixture No further relevant information available.
- 5.3 Advice for firefighters
- · Protective equipment:

Wear self-contained respiratory protective device.

Wear fully protective suit.

SECTION 6: Accidental release measures

• 6.1 Personal precautions, protective equipment and emergency procedures See Section 8.

- 6.2 Environmental precautions: No special measures required.
- \cdot 6.3 Methods and material for containment and cleaning up:

Pick up mechanically. Ensure adequate ventilation.

(Contd. on page 3)



Printing date 07.04.2023

Safety data sheet according to 1907/2006/EC, Article 31

Version number 5

Revision date: 07.04.2023

Trade name: CLEARFIL DC CORE PLUS ; A & B Paste

(Contd. of page 2)

• 6.4 Reference to other sections No dangerous substances are released.

SECTION 7: Handling and storage

• 7.1 Precautions for safe handling Ensure good ventilation/exhaustion at the workplace. • Information about fire - and explosion protection: No special measures required.

· 7.2 Conditions for safe storage, including any incompatibilities

· Storage:

*

- Requirements to be met by storerooms and receptacles: Store in a refrigerator (2-8°C).
- · Information about storage in one common storage facility:
- Store away from oxidising agents.
- Store away from reducing agents.

• Further information about storage conditions:

- Keep container tightly sealed.
- Store in cool, dry conditions in well sealed receptacles.
- Protect from heat and direct sunlight.
- 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

· 8.1 Control parameters

· Ingredients with limit values that require monitoring at the workplace:

1344-28-1 aluminium oxide

WEL Long-term value: 10* 4** mg/m³

*inhalable dust **respirable dust

• Additional information: The lists valid during the making were used as basis.

- · 8.2 Exposure controls
- Appropriate engineering controls No further data; see item 7.
- · Personal protective equipment:
- · General protective and hygienic measures:
- The usual precautionary measures are to be adhered to when handling chemicals.
- Respiratory protection: Not required.
- · Hand protection

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

• Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Penetration time of glove material

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye/face protection Goggles recommended during refilling

(Contd. on page 4)



Printing date 07.04.2023

*

Safety data sheet according to 1907/2006/EC, Article 31

Version number 5

Revision date: 07.04.2023

Trade name: CLEARFIL DC CORE PLUS ; A & B Paste

(Contd. of page 3)

9.1 Information on basic physical and chemical pr General Information	operties
Physical state	Solid
Colour:	According to product specification
Odour:	Slightly methacrylate odour
Melting point/freezing point:	Not determined.
Boiling point or initial boiling point and boiling	Not determined.
range	Not determined.
Flammability	Not determined.
Lower and upper explosion limit	
Lower:	Not determined.
Upper:	Not determined.
Flash point:	Not determined.
Auto-ignition temperature:	Not determined
Decomposition temperature:	Not determined
pH	Not determined.
Viscosity:	Not determined
Solubility	
water:	Insoluble.
Partition coefficient n-octanol/water (log value)	Not determined.
Vapour pressure:	Not determined.
Density and/or relative density	
Density:	2.0 g/cm^3
Relative density	Not determined
Relative vapour density	Not determined.
Particle characteristics	See item 3.
9.2 Other information	
Appearance:	Duta
Form:	Pasty
Important information on protection of health and	a
environment, and on safety.	Product door not progent on explosion beyond
Explosive properties:	Product does not present an explosion hazard.
Change in condition Softening point/range	
	Not determined
Oxidising properties Evaporation rate	Not determined
1	
Oxidising gases Gases under pressure	Void Void
Flammable liquids	Void
Flammable solids	Void
Self-reactive substances and mixtures	Void
	Void
Pyrophoric liquids Pyrophoric solids	Void Void
Pyrophoric solids	
Self-heating substances and mixtures	Void
Substances and mixtures, which emit flammable	Void
gases in contact with water	Void Void
Oxidising liquids	Void
Oxidising solids	Void
Organic peroxides	Void
Corrosive to metals	Void

(Contd. on page 5)



Printing date 07.04.2023

Safety data sheet according to 1907/2006/EC, Article 31

Version number 5

Revision date: 07.04.2023

Trade name: CLEARFIL DC CORE PLUS ; A & B Paste

(Contd. of page 4)

SECTION 10: Stability and reactivity

- 10.1 Reactivity No further relevant information available.
- · 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- 10.3 Possibility of hazardous reactions No dangerous reactions known.
- 10.4 Conditions to avoid No further relevant information available.
- 10.5 Incompatible materials: No further relevant information available.
- 10.6 Hazardous decomposition products: Carbon monoxide and carbon dioxide

SECTION 11: Toxicological information

- · 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008
- · Acute toxicity Based on available data, the classification criteria are not met.
- Skin corrosion/irritation Based on available data, the classification criteria are not met.
- · Serious eye damage/irritation Based on available data, the classification criteria are not met.
- Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- Germ cell mutagenicity Based on available data, the classification criteria are not met.
- Carcinogenicity Based on available data, the classification criteria are not met.
- Reproductive toxicity Based on available data, the classification criteria are not met.
- STOT-single exposure Based on available data, the classification criteria are not met.
- STOT-repeated exposure Based on available data, the classification criteria are not met.
- Aspiration hazard Based on available data, the classification criteria are not met.
- 11.2 Information on other hazards
- · Endocrine disrupting properties

None of the ingredients is listed.

SECTION 12: Ecological information

- · 12.1 Toxicity
- · Aquatic toxicity: No further relevant information available.
- 12.2 Persistence and degradability No further relevant information available.
- 12.3 Bioaccumulative potential No further relevant information available.
- 12.4 Mobility in soil No further relevant information available.
- 12.5 Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- 12.6 Endocrine disrupting properties For information on endocrine disrupting properties see section 11.
- · 12.7 Other adverse effects
- · Additional ecological information:
- · General notes: Not hazardous for water.

SECTION 13: Disposal considerations

· 13.1 Waste treatment methods

· Recommendation Smaller quantities can be disposed of with household waste.

- · Uncleaned packaging:
- · Recommendation: Disposal must be made according to official regulations.

(Contd. on page 6)



Printing date 07.04.2023

Version number 5

Revision date: 07.04.2023

Trade name: CLEARFIL DC CORE PLUS ; A & B Paste

(Contd. of page 5)

SECTION 14: Transport information	
· 14.1 UN number or ID number · ADR, ADN, IMDG, IATA	Void
· 14.2 UN proper shipping name · ADR, ADN, IMDG, IATA	Void
· 14.3 Transport hazard class(es)	
· ADR, ADN, IMDG, IATA · Class	Void
· 14.4 Packing group · ADR, IMDG, IATA	Void
· 14.5 Environmental hazards: · Marine pollutant:	No
· 14.6 Special precautions for user	Not applicable.
· 14.7 Maritime transport in bulk according instruments	to IMO Not applicable.
· UN "Model Regulation":	Void

SECTION 15: Regulatory information

• 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture • Directive 94/33/EC: Care should be taken when people under 18 handle this product.

• Directive 94/85/EEC: No further relevant information available.

· Chemical safety assessment

- · Named dangerous substances ANNEX I None of the ingredient is listed.
- · 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases

- H241 Heating may cause a fire or explosion.
- H315 Causes skin irritation.
- H317 May cause an allergic skin reaction.
- H319 Causes serious eye irritation.
- H335 May cause respiratory irritation.
- · Abbreviations and acronyms:
- ELINCS: European List of Notified Chemical Substances
- Self-react. B: Self-reactive substances and mixtures Type B Org. Perox. B: Organic peroxides – Type B
- Skin Irrit. 2: Skin corrosion/irritation Category 2
- Eye Irrit. 2: Serious eye damage/eye irritation Category 2
- Skin Sens. 1: Skin sensitisation Category 1
- STOT SE 3: Specific target organ toxicity (single exposure) Category 3
- * * Data compared to the previous version altered.