

Trade name: Finishing Liquid

Substance number: F24900 Version: 1 / GB Date revised: 26.07.2023

> Replaces Version: - / GB Print date: 11.10.2023

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Finishing Liquid

# 1.2. Relevant identified uses of the substance or mixture and uses advised against

# Use of the substance/preparation

Polishing liquid for clearing rough surfaces of EVA materials

# 1.3. Details of the supplier of the safety data sheet

#### Address/Manufacturer

Dreve Dentamid GmbH Max-Planck-Straße 31

59423 Unna

Telephone no. +49 2303 8807-0 Fax no. +49 2303 8807-29

by / telephone

Information provided Department Research & Development: Fax: +49 2303 8807-562

E-mail address of

person responsible

sicherheitsdatenblatt@dreve.com

for this SDS

#### 1.4. Emergency telephone number

Henkel Fire Department / 24h-Emergency-Contact-No.: +49 211 797-3350

## SECTION 2: Hazards identification

#### 2.1. Classification of the substance or mixture

# Classification (Regulation (EC) No. 1272/2008)

Classification (Regulation (EC) No. 1272/2008)

Flam. Liq. 2 H225 Skin Irrit. 2 H315 Eye Irrit. 2 H319 Skin Sens. 1 H317 STOT SE 3 H336 Asp. Tox. 1 H304 Aquatic Chronic 2 H411

The product is classified and labelled in accordance with Regulation (EC) No 1272/2008 For explanation of abbreviations see section 16.

#### 2.2. Label elements

Labelling according to regulation (EC) No 1272/2008

Hazard pictograms



Trade name: Finishing Liquid

Substance number: F24900 Version: 1 / GB Date revised: 26.07.2023

Replaces Version: - / GB Print date: 11.10.2023



#### Signal word

Danger

#### **Hazard statements**

H225 Highly flammable liquid and vapour.

H315 Causes skin irritation.

H319 Causes serious eye irritation.

H317 May cause an allergic skin reaction. H336 May cause drowsiness or dizziness.

H304 May be fatal if swallowed and enters airways. H411 Toxic to aquatic life with long lasting effects.

#### **Precautionary statements**

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition

sources. No smoking.

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P301+P310 IF SWALLOWED: Immediately call a POISON CENTER or doctor.

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing.

P331 Do NOT induce vomiting.

# Hazardous component(s) to be indicated on label (Regulation (EC) No. 1272/2008)

contains Acetone; Eucalyptus globulus, extract

# 2.3. Other hazards

No special hazards have to be mentioned.

The product contains no PBT substances. The product contains no vPvB substances. This product does not contain a substance that has endocrine disrupting properties with respect to human. The product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms.

# **SECTION 3: Composition/information on ingredients**

#### 3.2. Mixtures

# **Hazardous ingredients**

#### Eucalyptus globulus, extract

CAS No. 8000-48-4 EINECS no. 283-406-2

 Registration no.
 01-2119978250-32

 Concentration
 >=
 50

Classification (Regulation (EC) No. 1272/2008)

Flam. Liq. 3 H226 Skin Sens. 1 H317 Skin Irrit. 2 H315 Asp. Tox. 1 H304 Aquatic Chronic 2 H411

Page 2(14)

%



Trade name: Finishing Liquid

Substance number: F24900 Version: 1 / GB Date revised: 26.07.2023

Replaces Version: - / GB Print date: 11.10.2023

Acetone

CAS No. 67-64-1 EINECS no. 200-662-2

Registration no. 01-2119471330-49

Concentration >= 20 < 25 %

Classification (Regulation (EC) No. 1272/2008)

Flam. Liq. 2 H225 Eye Irrit. 2 H319 STOT SE 3 H336

# **SECTION 4: First aid measures**

# 4.1. Description of first aid measures

#### **General information**

Remove contaminated, soaked clothing immediately and dispose of safely. Adhere to personal protective measures when giving first aid. Clean body thoroughly (bath, shower). In any case show the physician the Safety Data Sheet.

#### After inhalation

Ensure supply of fresh air. Remove affected person from danger area. Seek medical advice immediately.

#### After skin contact

Wash off immediately with soap and water. Seek medical advice immediately.

#### After eye contact

Separate eyelids, wash the eyes thoroughly with water (15 min.). Take medical treatment.

#### After ingestion

Call in a physician immediately and show him the Safety Data Sheet. Rinse mouth thoroughly with water. Let plenty of water be drunk in small gulps. Do not induce vomiting.

#### Adhere to personal protective measures when giving first aid

First aider: Pay attention to self-protection!

#### 4.2. Most important symptoms and effects, both acute and delayed

Until now no symptoms known so far.

# 4.3. Indication of any immediate medical attention and special treatment needed Hints for the physician / hazards

In the case of swallowing with subsequent vomiting, aspiration of the lungs can occur which can lead to chemical pneumonia or asphyxiation.

# **SECTION 5: Firefighting measures**

# 5.1. Extinguishing media

#### Suitable extinguishing media

Recommended: alcohol resistant foam, CO2, powders, water spray/mist, Extinguishing measures to suit surroundings

#### Non suitable extinguishing media

Full water jet



Trade name: Finishing Liquid

Substance number: F24900 Version: 1 / GB Date revised: 26.07.2023

Replaces Version: - / GB Print date: 11.10.2023

# 5.2. Special hazards arising from the substance or mixture

In case of combustion evolution of dangerous gases possible.

# 5.3. Advice for firefighters

#### Special protective equipment for fire-fighting

Do not inhale explosion and/or combustion gases. In case of combustion use a suitable breathing apparatus. Wear full protective suit.

### Other information

Collect contaminated fire-fighting water separately, must not be discharged into the drains. Fire residues and contaminated fire-fighting water must be disposed of in accordance with the local regulations. Observe manufacturer's / distributor`s instructions.

# **SECTION 6: Accidental release measures**

# 6.1. Personal precautions, protective equipment and emergency procedures

Keep away sources of ignition. Ensure adequate ventilation. Use breathing apparatus if exposed to vapours/dust/aerosol. Avoid contact with skin, eyes and clothing. Use personal protective clothing. Refer to protective measures listed in Sections 7 and 8.

# 6.2. Environmental precautions

Prevent spread over a wide area (e.g. by containment or oil barriers). Do not discharge into the drains/surface waters/groundwater. Do not discharge into the subsoil/soil. Retain and dispose of contaminated wash water. In case of gas escape or of entry into waterways, soil or drains, inform the responsible authorities.

# 6.3. Methods and material for containment and cleaning up

Pick up rest with suitable absorbent materials. Do not pick up with the help of saw-dust or other combustible substances. Clean contaminated floors and objects thoroughly, observing environmental regulations. Containers in which spilt substance has been collected must be adequately labelled. Dispose of as prescribed.

## 6.4. Reference to other sections

Refer to protective measures listed in Sections 7 and 8.

# **SECTION 7: Handling and storage**

# 7.1. Precautions for safe handling

#### Advice on safe handling

Ensure adequate ventilation. Avoid formation of aerosols. Avoid impact, friction and electro-static loading; risk of ignition!. Use explosion-proof apparatus and fittings. Perform filling operations only at stations with exhaust ventilation facilities. Provide suitable exhaust ventilation at the processing machines. If workplace limits are exceeded, a respiratory protection approved for this particular job must be worn. Keep container tightly closed.

#### Advice on protection against fire and explosion

Keep away from sources of heat and ignition. No smoking. Take action to prevent static discharges. Avoid impact and friction. Use only explosion-proof equipment. Keep away from combustible material. Wear shoes with conductive soles.

# 7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels



Trade name: Finishing Liquid

Substance number: F24900 Version: 1 / GB Date revised: 26.07.2023

Replaces Version: - / GB Print date: 11.10.2023

Keep in original packaging, tightly closed. Storage rooms must be properly ventilated. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Provide solvent-resistant and impermeable floor.

#### Hints on storage assembly

Do not store together with foodstuffs. Do not store with strong oxidizing agents.

# Further information on storage conditions

Keep under lock and key or accessible only to specialists or people who are authorized. Keep container tightly closed and in a well-ventilated place. Keep in a cool place

# **SECTION 8: Exposure controls/personal protection**

# 8.1. Control parameters

# **Exposure limit values**

#### Acetone

List TRGS 900

Value 1210 mg/m³ 500 ppm(V) Maximum limit value: 2(I) Pregnancy group: Y; Status: 02/15; Remarks: AGS, DFG

# **Biological limit values**

#### **Acetone**

List BGW (TRGS 903)
Value 80 mg/l
Parameter Acetone

Testing material Acetone
Urine (U)

Test date End of exposure or end of shift (b)

#### Other information

Contains no substances with occupational exposure limit values.

#### **Derived No/Minimal Effect Levels (DNEL/DMEL)**

#### **Acetone**

Type of value Derived No Effect Level (DNEL)

Reference group Worker
Duration of exposure Long term
Route of exposure dermal

Concentration 186 mg/kg/d

Type of value Derived No Effect Level (DNEL)

Reference group Worker
Duration of exposure Short term
Route of exposure inhalative

Concentration 2420 mg/m<sup>3</sup>

Type of value Derived No Effect Level (DNEL)

Reference group Worker

Duration of exposure Long term

Concentration 1210 mg/m³

Type of value Derived No Effect Level (DNEL)

Reference group Consumer
Duration of exposure Long term
Route of exposure oral

Concentration 62 mg/kg/d



Trade name: Finishing Liquid

Substance number: F24900 Version: 1 / GB Date revised: 26.07.2023

Replaces Version: - / GB Print date: 11.10.2023

Type of value Derived No Effect Level (DNEL)

Reference group

Duration of exposure

Route of exposure

Consontration

Consontr

Concentration 62 mg/kg/d

Type of value Derived No Effect Level (DNEL)

Reference group Consumer
Duration of exposure Long term
Route of exposure inhalative

Concentration 200 mg/m<sup>3</sup>

**Eucalyptus globulus, extract** 

Type of value Derived No Effect Level (DNEL)

Reference group

Duration of exposure

Route of exposure

Mode of action

Systemic effects

Concentration 3,52 mg/m³

Type of value Derived No Effect Level (DNEL)

Reference group Worker
Duration of exposure Long term
Route of exposure dermal

Mode of action Systemic effects

Concentration 1 mg/kg/d

# **Predicted No Effect Concentration (PNEC)**

Acetone

Type of value PNEC
Type Freshwater

Concentration 10,6 mg/l

Type of value PNEC Saltwater

Concentration 1,06 mg/l

Type of value PNEC

Type Water (intermittent release)

Concentration 21 mg/l

Type of value PNEC Sediment

Concentration 30,4 mg/kg/d

Type of value PNEC

Type Marine sediment

Concentration 3,04 mg/kg/d

Type of value PNEC Type Soil

Concentration 33,3 mg/kg/d

Type of value PNEC

Type Sewage treatment plant (STP)

Concentration 100 mg/l



Trade name: Finishing Liquid

Substance number: F24900 Version: 1 / GB Date revised: 26.07.2023

Replaces Version: - / GB Print date: 11.10.2023

# 8.2. Exposure controls

#### General protective and hygiene measures

Do not smoke during work time. Hold emergency shower available. Hold eye wash fountain available. Do not inhale gases/vapours/aerosols. Avoid contact with skin and eyes. Take off immediately all contaminated clothing. Do not eat or drink during work time. Storage of foodstuffs in work rooms is forbidden. Wash hands before breaks and after work. Clean skin thoroughly after work; apply skin cream.

#### Respiratory protection

Do not inhale vapours; In case of insufficient ventilation, wear suitable respiratory equipment.

#### Hand protection

There is no one glove material or combination of materials that will give unlimited resistance to any individual or combination of chemicals.

Gloves should be replaced regularly and if there is any sign of damage to the glove material.

Hand protection must comply with EN 374.

Appropriate Material Butyl rubber

Appropriate Material nitrile

#### Eye protection

Tightly fitting safety glasses

#### **Body protection**

Clothing as usual in the chemical industry.

# **SECTION 9: Physical and chemical properties**

# 9.1. Information on basic physical and chemical properties

Physical state
Colour
Colour
Colourless
Characteristic

**Melting point** 

Remarks not determined

Freezing point

Remarks not determined

Boiling point or initial boiling point and boiling range

Value 56 °C

**Flammability** 

evaluation Not applicable

**Upper and lower explosive limits** 

Lower explosion limit 2,6 %(V)
Upper explosion limit 13,0 %(V)

Flash point

Value -17 °C Method closed cup

Ignition temperature

Value 540 °C

**Decomposition temperature** 

Remarks not determined



Trade name: Finishing Liquid

Substance number: F24900 Version: 1 / GB Date revised: 26.07.2023

Replaces Version: - / GB Print date: 11.10.2023

pH value

Remarks not determined

**Viscosity** 

Remarks not determined

Solubility(ies)

Remarks not determined

Partition coefficient n-octanol/water (log value)

Remarks not determined

Vapour pressure

Value 233 hPa

Density and/or relative density

Value 0,89 g/cm<sup>3</sup>

Relative vapour density

Remarks not determined

9.2. Other information

**Odour threshold** 

Remarks not determined

**Evaporation rate (ether = 1):** 

Remarks not determined

Solubility in water

Remarks partially miscible

**Explosive properties** 

evaluation not determined

**Oxidising properties** 

Remarks not determined

Other information

None known

# **SECTION 10: Stability and reactivity**

# 10.1. Reactivity

No hazardous reactions when stored and handled according to prescribed instructions.

#### 10.2. Chemical stability

No hazardous reactions known.

# 10.3. Possibility of hazardous reactions

No hazardous reactions known.

## 10.4. Conditions to avoid

No hazardous reactions known.

# 10.5. Incompatible materials

None known

# 10.6. Hazardous decomposition products

Toxic gases/vapours, Irritant gases/vapours



Trade name: Finishing Liquid

Substance number: F24900 Version: 1 / GB Date revised: 26.07.2023

Replaces Version: - / GB Print date: 11.10.2023

# **SECTION 11: Toxicological information**

# 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

# Acute oral toxicity

Remarks Based on available data, the classification criteria are not met.

# **Acute oral toxicity (Components)**

Acetone

Species rat

LD50 5800 mg/kg

**Eucalyptus globulus, extract** 

Species rat

LD50 3320 mg/kg

**Acute dermal toxicity** 

Remarks Based on available data, the classification criteria are not met.

#### **Acute dermal toxicity (Components)**

Acetone

Species rabbit

LD50 > 15800 mg/kg

**Eucalyptus globulus, extract** 

Species rabbit

LD50 > 5000 mg/kg

Acute inhalational toxicity

Remarks Based on available data, the classification criteria are not met.

# **Acute inhalative toxicity (Components)**

Acetone

Species rat

LC50 76000 mg/m<sup>3</sup>

Duration of exposure 4 h

Administration/Form Vapors

Skin corrosion/irritation

evaluation irritant

Remarks The classification criteria are met.

# Skin corrosion/irritation (Components)

**Acetone** 

Remarks Repeated and prolonged skin contact may lead to defatting and irritation of

the skin.

Eucalyptus globulus, extract

evaluation irritant Serious eye damage/irritation

evaluation irritant

Remarks The classification criteria are met.

# Serious eye damage/irritation (Components)

Acetone

Species rabbit evaluation irritant

Sensitization

evaluation May cause sensitization by skin contact.



Trade name: Finishing Liquid

Substance number: F24900 Version: 1 / GB Date revised: 26.07.2023

Replaces Version: - / GB Print date: 11.10.2023

Remarks The classification criteria are met.

not determined

# Sensitization (Components)

# Eucalyptus globulus, extract

Route of exposure dermal evaluation sensitizing

Subacute, subchronic, chronic toxicity

Remarks **Mutagenicity** 

Remarks Based on available data, the classification criteria are not met.

Reproductive toxicity

Remarks Based on available data, the classification criteria are not met.

Carcinogenicity

Remarks Based on available data, the classification criteria are not met.

# **Specific Target Organ Toxicity (STOT)**

Single exposure

Remarks The classification criteria are met. evaluation May cause drowsiness or dizziness.

Repeated exposure

Remarks Based on available data, the classification criteria are not met.

# **Specific Target Organ Toxicity (STOT) (Components)**

#### **Acetone**

Single exposure

evaluation May cause drowsiness or dizziness.

#### **Aspiration hazard**

The classification criteria are met.

Harmful: may cause lung damage if swallowed.

# **Aspiration hazard (Components)**

#### Eucalyptus globulus, extract

Harmful: may cause lung damage if swallowed.

# 11.2 Information on other hazards

## Endocrine disrupting properties with respect to humans

The product does not contain a substance that has endocrine disrupting properties with respect to humans.

#### **Experience in practice**

Inhalation may lead to irritation of the respiratory tract.

# Other information

No toxicological data are available.

# **SECTION 12: Ecological information**

#### 12.1. Toxicity

# **General information**

not determined

# Fish toxicity (Components)



Print date: 11.10.2023

Trade name: Finishing Liquid

Substance number: F24900 Version: 1 / GB Date revised: 26.07.2023

Replaces Version: - / GB

Acetone

Species Fathead minnow (Pimephales promelas)

LC50 8120 mg/

Duration of exposure 96 h

Method OECD 203

Eucalyptus globulus, extract

LL50 42 mg/l

Duration of exposure 96 h

Method OECD 203

**Daphnia toxicity (Components)** 

**Acetone** 

Species Daphnia pulex

LC50 8800 mg/l

Duration of exposure 48 h

Acetone

Species Daphnia magna

NOEC 2212 mg/l

Duration of exposure 28 d

Eucalyptus globulus, extract

EC50 1,02 mg/l

Duration of exposure 48 h

Algae toxicity (Components)

**Acetone** 

Species Microcystis aeruginosa (blue alge)

NOEC 530 mg/l

Duration of exposure 8 d

**Eucalyptus globulus, extract** 

EC50 1,64 mg/l

Duration of exposure 72 h

**Bacteria toxicity (Components)** 

**Acetone** 

Species activated sludge

EC50 61,15 mg/l

Duration of exposure 30 min

Method OECD 209

12.2. Persistence and degradability

**General information** 

not determined

Ready degradability (Components)

**Acetone** 

Value 90,9 %

Duration of test 28 d

Eucalyptus globulus, extract

12.3. Bioaccumulative potential

**General information** 

not determined

Partition coefficient n-octanol/water (log value)

Remarks not determined



Trade name: Finishing Liquid

Substance number: F24900 Version: 1 / GB Date revised: 26.07.2023

Replaces Version: - / GB Print date: 11.10.2023

# Octanol/water partition coefficient (log Pow) (Components)

**Acetone** 

log Pow -0,23

Eucalyptus globulus, extract

log Pow 4,35

Temperature 25 °C

## 12.4. Mobility in soil

#### **General information**

not determined

#### 12.5. Results of PBT and vPvB assessment

#### **General information**

not determined

#### Results of PBT and vPvB assessment

The product contains no PBT substances

The product contains no vPvB substances.

# 12.6 Endocrine disrupting properties

#### Endocrine disrupting properties with respect to the envrionment

The product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms.

#### 12.7. Other adverse effects

#### **General information**

not determined

## General information / ecology

Do not allow to enter soil, waterways or waste water canal. Avoid release into the atmosphere.

# **SECTION 13: Disposal considerations**

# 13.1. Waste treatment methods

#### Disposal recommendations for the product

Must not be disposed together with household garbage.

Allocation of a waste code number, according to the European Waste Catalogue (EWC), should be carried out in agreement with the regional waste disposal company.

#### Disposal recommendations for packaging

Packaging that cannot be cleaned should be disposed off in agreement with the regional waste disposal company.

# **SECTION 14: Transport information**



Print date: 11.10.2023

Trade name: Finishing Liquid

Substance number: F24900 Version: 1 / GB Date revised: 26.07.2023

Replaces Version: - / GB

	Land transport ADR/RID	Marine transport IMDG/GGVSee	Air transport ICAO/IATA
14.1. UN number or ID number	1993	1993	1993
14.2. UN proper shipping name	FLAMMABLE LIQUID, N.O.S. (Acetone, Extracts, Aromatic, Liquid)	FLAMMABLE LIQUID, N.O.S. (Acetone, Extracts, Aromatic, Liquid)	FLAMMABLE LIQUID, N.O.S. (Acetone, Extracts, Aromatic, Liquid)
14.3. Transport hazard class(es)	3	3	3
Label	2	2	3
14.4. Packing group	П	II	II
Special provision	640C		
Remarks	The product is not subject to any other provisions of ADR provided packaging of not more than 51/5 kg	The product can be transported in accordance with IMDG Code paragraph 2.10.2.7, provided packaging not more than 5 I / 5 kg.	The product is not subject to any other provisions of IATA provided packaging of not more than 5 I / 5 kg (A197)
Limited Quantity	11	11	
Transport category	2		
14.5. Environmental hazards	ENVIRONMENTALLY	Marine Pollutant	ENVIRONMENTALLY
	HAZARDOUS	ENVIRONMENTALLY HAZARDOUS	HAZARDOUS
Tunnel restriction code	D/E		

# **SECTION 15: Regulatory information**

# 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

# Other information

All components are contained in the TSCA inventory or exempted.

# 15.2. Chemical safety assessment

For this preparation a chemical safety assessment has not been carried out.



Trade name: Finishing Liquid

Substance number: F24900 Version: 1 / GB Date revised: 26.07.2023

Replaces Version: - / GB Print date: 11.10.2023

# **SECTION 16: Other information**

# Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:

Classification (Regulation (EC) No. 1272/2008)

Flam. Liq. 2	H225	On basis of test data
Skin Irrit. 2	H315	Calculation method
Eye Irrit. 2	H319	Calculation method
Skin Sens. 1	H317	Calculation method
STOT SE 3	H336	Calculation method
Asp. Tox. 1	H304	Calculation method
Aquatic Chronic 2	H411	Calculation method

#### Hazard statements listed in Chapter 2/3

H225	Highly flammable liquid and vapour.
H226	Flammable liquid and vapour.

H304 May be fatal if swallowed and enters airways.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.
H319 Causes serious eye irritation.
H336 May cause drowsiness or dizziness.

H411 Toxic to aquatic life with long lasting effects.

# CLP categories listed in Chapter 2/3

Aquatic Chronic 2 Hazardous to the aquatic environment, chronic, Category 2

Asp. Tox. 1

Eye Irrit. 2

Flam. Liq. 2

Flam. Liq. 3

Skin Irrit. 2

Skin Sens. 1

Aspiration hazard, Category 1

Eye irritation, Category 2

Flammable liquid, Category 2

Flammable liquid, Category 3

Skin irritation, Category 2

Skin sensitization, Category 1

STOT SE 3 Specific target organ toxicity - single exposure, Category 3

#### **Supplemental information**

Relevant changes compared with the previous version of the safety data sheet are marked with: \*\*\*
This information is based on our present state of knowledge. However, it should not constitute a
guarantee for any specific product properties and shall not establish a legally valid relationship.