

Page 1/9

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 16.11.2022

Version number 4 (replaces version 3)

Revision: 16.11.2022

| 1.1 Product identif | ïer | |
|---|---|----------------------------------|
| | luma Desensitizer | |
| | | luces advised every |
| No further relevant i | ified uses of the substance or mixture and information available. | ruses advised against |
| Application of t | he substance / the mixture For desensitisa | tion of teeth |
| Manufacturer/Se Kulzer GmbH | | |
| Leipziger Straße | 2, 63450 Hanau (Germany) | Tel.: +49 (0)800 43725 |
| · Informing depai 1.4 Emergency tele | rtment: E-Mail: msds@kulzer-dental.com ephone number: Emergency CONTACT (24 | 1-Hour-Number): +49 (0)6132-8446 |
| SECTION 2: Ha | zards identification | |
| | of the substance or mixture | |
| • Classification a Acute Tox. 4 | ccording to Regulation (EC) No 1272/2008 H332 Harmful if inhaled. | 5 |
| | H314 Causes severe skin burns and eye of | damage |
| | H318 Causes severe skill burns and eye C H318 Causes serious eye damage. | aunaye. |
| | H334 May cause allergy or asthma syn inhaled. | mptoms or breathing difficulties |
| Skin Sens. 1 | H317 May cause an allergic skin reaction. | |
| STOT SE 3 | H335 May cause respiratory irritation. | |
| Aquatic Chronic | 3 H412 Harmful to aquatic life with long lasti | ing effects. |
| 2.2 Label elements · Labelling accord The product is closed · Hazard picto | ding to Regulation (EC) No 1272/2008 assified and labelled according to the GB CL | P regulation. |
| GHS05 GH | IS07 GHS08 Danger | |
| Hazard-deter glutaral 2-hydroxyethy Hazard state H332 Harmfu | rmining components of labelling: yl methacrylate ments l if inhaled. | |
| H334 May ca H317 May ca H335 May ca H412 Harmfu | s severe skin burns and eye damage. use allergy or asthma symptoms or breathing use an allergic skin reaction. use respiratory irritation. I to aquatic life with long lasting effects. | g difficulties if inhaled. |
| | | |
| Precautionar P261 | Avoid breathing mist/vapours/spray. | |



Page 2/9

Safety data sheet according to 1907/2006/EC, Article 31

Revision: 16.11.2022

Printing date 16.11.2022

Version number 4 (replaces version 3)

Trade name: Gluma Desensitizer

(Contd. of page 1) P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P333+P313 If skin irritation or rash occurs: Get medical advice/attention. P342+P311

If experiencing respiratory symptoms: Call a POISON CENTER/doctor.

· 2.3 Other hazards -

Results of PBT and vPvB assessment

PBT: Not applicable.

vPvB: Not applicable.

| 3.2 Mixtures · Description: - | | |
|------------------------------------|--|--------|
| Dangerous com | ponents: | |
| CAS: 868-77-9 EINECS: 212-782-2 | 2-hydroxyethyl methacrylate Skin Irrit. 2, H315; Eye Irrit. 2, H319; Skin Sens. 1, H317 | 25-50% |
| CAS: 111-30-8 | glutaral Acute Tox. 3, H301; Acute Tox. 2, H330 Resp. Sens. 1, H334 Skin Corr. 1B, H314 Aquatic Acute 1, H400; Aquatic Chronic 2, H411 Skin Sens. 1A, H317; STOT SE 3, H335 EUH071 Specific concentration limit: STOT SE 3; H335: C ≥ 0.5 % | 5-10% |

SECTION 4: First aid measures

· 4.1 Description of first aid measures

- After inhalation Supply fresh air; consult doctor in case of symptoms.
 - After skin contact
 - Instantly rinse with water.
 - If skin irritation continues, consult a doctor.
- After eye contact
- Rinse opened eye for several minutes under running water. Then consult doctor.
- After swallowing

Rinse out mouth and then drink plenty of water.

- In case of persistent symptoms consult doctor.
- 4.2 Most important symptoms and effects, both acute and delayed
- No further relevant information available.
- 4.3 Indication of any immediate medical attention and special treatment needed
- No further relevant information available.

SECTION 5: Firefighting measures

· 5.1 Extinguishing media

Suitable extinguishing agents

CO2, extinguishing powder or water jet. Fight larger fires with water jet or alcohol-resistant foam.

- 5.2 Special hazards arising from the substance or mixture
- Formation of toxic gases is possible during heating or in case of fire.
- 5.3 Advice for firefighters
 - · Protective equipment: Put on breathing apparatus.

(Contd. on page 3) GB



Page 3/9

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 16.11.2022

Version number 4 (replaces version 3)

Revision: 16.11.2022

(Contd. of page 2)

Trade name: Gluma Desensitizer

· Additional information -

SECTION 6: Accidental release measures

- · 6.1 Personal precautions, protective equipment and emergency procedures Not required.
- 6.2 Environmental precautions: No special measures required.
- **6.3 Methods and material for containment and cleaning up:** Absorb with liquid-binding material (diatomite, universal binders, for small amounts tissues). Dispose of contaminated material as waste according to item 13. Send for recovery or disposal in suitable containers.
- 6.4 Reference to other sections See Section 13 for information on disposal. See Section 8 for information on personal protection equipment.

SECTION 7: Handling and storage

· 7.1 Precautions for safe handling

Keep containers tightly sealed.

Wear protective equipment. Keep unprotected persons away. Ensure good ventilation/exhaustion at the workplace.

Information about protection against explosions and fires: No special measures required.

- · 7.2 Conditions for safe storage, including any incompatibilities · Storage
 - Requirements to be met by storerooms and containers: No special requirements. • Information about storage in one common storage facility: Not required.
 - Further information about storage in one common storage facing.
- 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

· 8.1 Control parameters

· Components with critical values that require monitoring at the workplace:

111-30-8 glutaral

- MEL () Short-term value: 0.2 mg/m³, 0.05 ppm Long-term value: 0.2 mg/m³, 0.05 ppm Sen
- OES () Short-term value: 0.7 mg/m³, 0.2 ppm

· DNELs

868-77-9 2-hydroxyethyl methacrylate

Dermal worker industrial, long term, systemic 1.3 mg/Kg/d (not defined) Inhalative worker industrial, long term, systemic 4.9 mg/m3 (not defined)

· PNECs

868-77-9 2-hydroxyethyl methacrylate

| freshwater | 0.482 mg/l (not defined) | |
|----------------------------------|---------------------------|--|
| sewage treatment plant | 10 mg/l (not defined) | |
| sediment, dry weight, freshwater | , | |
| soil, dry weight | 0.476 mg/Kg (not defined) | |
| | | |

(Contd. on page 4)



Page 4/9

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 16.11.2022

Version number 4 (replaces version 3)

Revision: 16.11.2022

Trade name: Gluma Desensitizer

| · Additional information: The lists that were | (Contd. of page 3) valid during the compilation were used as basis. |
|---|---|
| · 8.2 Exposure controls | |
| Appropriate engineering controls No further Individual protection measures, such as per | sonal protective equipment |
| General protective and hygienic measure | 9S |
| Keep away from foodstuffs, beverages and f | |
| Instantly remove any soiled and impregnated | d garments. |
| Wash hands during breaks and at the end of | t the work. |
| Avoid contact with the eyes and skin. | |
| Breathing equipment: Not neccessary with efficient local exhaust. protective mask (filter A). | If exposition to vapours is possible, use breathing |
| Hand protection | |
| The glove material has to be impermeable preparation. | and resistant to the product/ the substance/ the |
| | tion of the penetration times, rates of diffusion and |
| | tive gloves are recommended to avoid possible |
| sensitization. Solvent resistant gloves | |
| Check protective gloves prior to each use for | r their proper condition |
| recommended | |
| · Material of gloves | |
| | pes not only depend on the material, but also on |
| further marks of quality and varies from | manufacturer to manufacturer. As the product is a |
| | he resistance of the glove material can not be |
| calculated in advance and has therefore | to be checked prior to the application. |
| Penetration time of glove material | |
| | found out by the manufacturer of the protective |
| gloves and has to be observed. | , |
| | num of 15 minutes gloves made of the following |
| materials are suitable: | |
| Butyl rubber, BR | |
| Nitrile rubber, NBR | |
| Eye/face protection | |
| Before use, put on the protective goggles | and cover the patient's eyes to protect against |
| splashes of material. | |
| Tightly sealed safety glasses. | |
| Body protection: Light weight protective closed | othing |
| | |
| SECTION 9: Physical and chemical pro | perties |
| • 9.1 Information on basic physical and chemical | l properties |
| General Information | Fluid |
| Physical state | Fluid |
| · Colour: | Colourless |
| · Smell: | Aromatic |
| · Odour threshold: | Not determined. |
| weiting point/freezing point: | Not determined |
| | Net determine d |
| | |
| | ινοτ αρριιζαριε. |
| | (Contd. on page 5) |
| | (Contd. on page 5) GB |
| Melting point/freezing point: Boiling point or initial boiling point and boiling range Flammability | (1 8 |



Page 5/9

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 16.11.2022

Version number 4 (replaces version 3)

Revision: 16.11.2022

Trade name: Gluma Desensitizer

| | (Contd. of page |
|---|--|
| Lower and upper explosion limit | •••••• |
| Lower: | Not determined. |
| · Upper: | Not determined. |
| · Flash point: | 106 °C (868-77-9 2-hydroxyethyl methacrylate |
| Decomposition temperature: | Not determined. |
| SADT | |
| · pH | Not determined. |
| · Viscosity: | |
| · Kinematic viscosity | Not determined. |
| · dynamic: | Not determined. |
| · Solubility | not dotommod. |
| · Water: | Not miscible or difficult to mix |
| · Partition coefficient n-octanol/water (log | |
| value) | Not determined. |
| | Not determined. |
| · Steam pressure: | |
| Density and/or relative density | $1.16 a/am^{3}$ |
| Density at 20 °C | 1.16 g/cm ³ |
| Relative density | Not determined. |
| Vapour density | Not determined. |
| | urther relevant information available. |
| · Appearance: | |
| Form: | Fluid |
| | gel |
| Important information on protection of | • |
| health and environment, and on safety. | |
| · Self-inflammability: | Product is not selfigniting. |
| • Explosive properties: | Product is not explosive. |
| · Change in condition | |
| · Evaporation rate | Not determined. |
| - | |
| Information with regard to physical hazard | |
| classes | N - 1-1 |
| Explosives | Void |
| Flammable gases | Void |
| Aerosols | Void |
| · Oxidising gases | Void |
| Gases under pressure | Void |
| Flammable liquids | Void |
| Flammable solids | Void |
| Self-reactive substances and mixtures | Void |
| · Pyrophoric liquids | Void |
| · Pyrophoric solids | Void |
| Self-heating substances and mixtures | Void |
| Substances and mixtures, which emit | |
| | Void |
| | |
| flammable gases in contact with water | Void |
| flammable gases in contact with water Oxidising liquids | Void Void |
| flammable gases in contact with water Oxidising liquids Oxidising solids | Void |
| flammable gases in contact with water Oxidising liquids Oxidising solids Organic peroxides | Void Void |
| flammable gases in contact with water Oxidising liquids Oxidising solids | Void |

(Contd. on page 6)



Page 6/9

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 16.11.2022

Version number 4 (replaces version 3)

Revision: 16.11.2022

Trade name: Gluma Desensitizer

(Contd. of page 5)

SECTION 10: Stability and reactivity

· 10.1 Reactivity No further relevant information available.

10.2 Chemical stability

· Aquatic toxicity:

EC50/48h

LC50/96h

EC50

868-77-9 2-hydroxyethyl methacrylate

NOEC / 21d 24.1 mg/l (daphnia)

380 mg/l (daphnia)

>3,000 mg/l (bacteria)

>100 mg/l (fish)

• Conditions to be avoided: No decomposition if used and stored according to specifications.

· 10.3 Possibility of hazardous reactions No dangerous reactions known

10.4 Conditions to avoid No further relevant information available.

• 10.5 Incompatible materials: No further relevant information available.

· 10.6 Hazardous decomposition products: None

| · Acu | formation on hazard classes as defined in Regulation (EC) No 1272/2008 te toxicity with it is held d |
|--|--|
| | nful if inhaled. D/LC50 values that are relevant for classification: |
| | LD50 >2,000 mg/kg (rat) |
| | |
| | 9 2-hydroxyethyl methacrylate |
| | LD50 5,564 mg/kg (rat) |
| | LD50 >5,000 mg/kg (can) |
| | 8 glutaral |
| Oral | LD50 77 mg/kg (rat) corrosion/irritation |
| Caus · Res May · Ger · Carc · Rep · STO May · STO · Asp 11.2 Inf | ous eye damage/irritation ses serious eye damage. biratory or skin sensitisation cause allergy or asthma symptoms or breathing difficulties if inhaled. cause an allergic skin reaction. m cell mutagenicity Based on available data, the classification criteria are not met. cinogenicity Based on available data, the classification criteria are not met. roductive toxicity Based on available data, the classification criteria are not met. T-single exposure cause respiratory irritation. T-repeated exposure Based on available data, the classification criteria are not met. iration hazard Based on available data, the classification criteria are not met. cormation on other hazards |
| | the ingredients is listed. |
| | |

| (| Contd. | on | page | 7) |
|---|--------|----|------|----|

ĠВ



Page 7/9

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 16.11.2022

Version number 4 (replaces version 3)

Revision: 16.11.2022

(Contd. of page 6)

Trade name: Gluma Desensitizer

ErC50 / 72 h 836 mg/l (algae)

NOEC / 72h 400 mg/l (algae) (OECD 201)

- 12.2 Persistence and degradability No further relevant information available.
- 12.3 Bioaccumulative potential No further relevant information available.
- **12.4 Mobility in soil** No further relevant information available.
- 12.5 Results of PBT and vPvB assessment
 - · PBT: Not applicable.
 - vPvB: Not applicable.

12.6 Endocrine disrupting properties For information on endocrine disrupting properties see section 11.

- · 12.7 Other adverse effects
 - Additional ecological information:

General notes:

Do not allow product to reach ground water, water bodies or sewage system, even in small quantities.

banger to drinking water if even extremely small quantities leak into soil.

SECTION 13: Disposal considerations

· 13.1 Waste treatment methods

Recommendation

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

· Waste disposal key number: 52102

· Uncleaned packagings:

Recommendation: Disposal must be made according to official regulations.

| · 14.1 UN number or ID number | |
|--|---|
| · ADR, IMDG, IATA | UN3265 |
| 14.2 UN proper shipping name IMDG, IATA | CORROSIVE LIQUID, ACIDIC, ORGANI N.O.S. (glutaral) |
| 14.3 Transport hazard class(es) | |
| ADR | |
| | |
| · Class · Label | 8 (C3) Corrosive substances. 8 |
| | (Contd. on page |



Page 8/9

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 16.11.2022

Version number 4 (replaces version 3)

Revision: 16.11.2022

Trade name: Gluma Desensitizer

| · IMDG, IATA | |
|--|---|
| | |
| | |
| • | |
| | |
| · Class · Label | 8 Corrosive substances. 8 |
| | 0 |
| · 14.4 Packing group | 11 |
| ADR, IMDĞ, IATA | 11 |
| · 14.5 Environmental hazards: | A /- |
| · Marine pollutant: | No |
| 14.6 Special precautions for user | Warning: Corrosive substances. |
| Kemler Number: EMS Number: | 80 F-A.S-B |
| · EMS Number: · Segregation groups | F-A, S-B Acids |
| · Stowage Category | B |
| · Stowage Code | SW2 Clear of living quarters. |
| • 14.7 Maritime transport in bulk according t IMO instruments | o Not applicable. |
| Transport/Additional information: | - |
| · ADR | |
| · Limited quantities (LQ) | 1L |
| Excepted quantities (EQ) | Code: E2 |
| | Maximum net quantity per inner packagir 30 ml |
| | Maximum net quantity per outer packagir |
| | 500 ml |
| Transport category | 2 |
| · Tunnel restriction code | E |
| ·IMDG | |
| Limited quantities (LQ) | 1L |
| Excepted quantities (EQ) | Code: E2 Maximum pet quantity per inner peckagir |
| | Maximum net quantity per inner packagir 30 ml |
| | Maximum net quantity per outer packagir |
| | 500 ml |
| · UN "Model Regulation": | Void |

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

No further relevant information available.

• 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

(Contd. on page 9)

GB



Page 9/9

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 16.11.2022

Version number 4 (replaces version 3)

Revision: 16.11.2022

Trade name: Gluma Desensitizer

(Contd. of page 8)

| | 16: Other information |
|-----------------|--|
| | re based on our present knowledge. However, they shall not constitute a guarantee |
| | product features and shall not establish a legally valid contractual relationship. |
| | nnt phrases |
| H301 | Toxic if swallowed. |
| H314 | Causes severe skin burns and eye damage. |
| H315 | Causes skin irritation. |
| H317 | May cause an allergic skin reaction. |
| H319 | Causes serious eye irritation. |
| H330 | Fatal if inhaled. |
| H334 | May cause allergy or asthma symptoms or breathing difficulties if inhaled. |
| H335 | May cause respiratory irritation. |
| H400 | Very toxic to aquatic life. |
| H411 | Toxic to aquatic life with long lasting effects. |
| | 1 Corrosive to the respiratory tract. |
| | tions and acronyms: |
| SADT: Self J | Accelerating Decomposition Temperature |
| ADR: Acco | rd relatif au transport international des marchandises dangereuses par route (European Agree |
| | the International Carriage of Dangerous Goods by Road) |
| | national Maritime Code for Dangerous Goods ational Air Transport Association |
| | ly Harmonised System of Classification and Labelling of Chemicals |
| | ropean Inventory of Existing Commercial Chemical Substances |
| ELINCS: Eu | ropean List of Notified Chemical Substances |
| | cal Abstracts Service (division of the American Chemical Society) |
| | ed No-Effect Level (UK REACH) |
| | icted No-Effect Concentration (UK REACH) I concentration, 50 percent |
| | l dose, 50 percent |
| PBT: Persis | ent, Bioaccumulative and Toxic |
| | Persistent and very Bioaccumulative |
| | C Acute toxicity – Category 3 |
| | : Acute toxicity – Category 2 : Acute toxicity – Category 4 |
| Skin Corr 1 | 3: Skin corrosion/irritation – Category 1B |
| Skin Irrit. 2: | Skin corrosion/irritation – Category 2 |
| Eye Dam. 1. | Serious eye damage/eye irritation – Category 1 |
| Eye Irrit. 2: S | Serious eye damage/eye irritation – Category 2 |
| | 1: Respiratory sensitisation – Category 1 |
| | : Skin sensitisation – Category 1 A: Skin sensitisation – Category 1A |
| STOT SF 3 | Specific target organ toxicity (single exposure) – Category 3 |
| Aquatic Acu | te 1: Hazardous to the aquatic environment - acute aquatic hazard – Category 1 |
| Aquatic Chro | pnic 2: Hazardous to the aquatic environment - long-term aquatic hazard – Category 2 |
| | pnic 3: Hazardous to the aquatic environment - long-term aquatic hazard – Category 3 |
| · * Data co | mpared to the previous version altered. |
| | |