

according to Regulation (EC) No 1907/2006

KaVo DRYspray

Revision date: 10.11.2017 Page 1 of 9

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

KaVo DRYspray

Product code:

1.007.0570 1.007.0580

Further trade names

DRYspray®, DRYspray 2117, DRYspray 2117P

REACH Registration Number: 01-0000019758-54-XXXX

CAS No: 29118-24-9 EC No: 471-480-0

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

For cleaning up.

The product is intended for professional use.

1.3. Details of the supplier of the safety data sheet

Company name: Kaltenbach & Voigt GmbH

Street: Bismarckring 39
Place: D-88400 Biberach

Telephone: +49 (0) 7351 56 0 Telefax: + 49 (0) 7351 56 1488

e-mail: sdb@kavo.com

e-mail (Contact person): support@gefahrstoff.com Internet: http://www.kavo.com/

Responsible Department: Questions concerning SDB: PES-Ingenieurgesellschaft mbH

1.4. Emergency telephone +49 (0) 7351 56 4000 (24 h)

number:

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Regulation (EC) No. 1272/2008

Hazard categories:

Gases under pressure: Liquefied gas

Hazard Statements:

Contains gas under pressure; may explode if heated.

<= 1 % by mass of the contents are flammable. Chemical heat of combustion in kJ/g: < 20

2.2. Label elements

Regulation (EC) No. 1272/2008

Signal word: Warning

Hazard statements

H229 Pressurised container: May burst if heated.

Precautionary statements

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No

smoking.

P251 Do not pierce or burn, even after use.

P410+P412 Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F.



according to Regulation (EC) No 1907/2006

KaVo DRYspray

Revision date: 10.11.2017 Page 2 of 9

2.3. Other hazards

This substance does not meet the PBT/vPvB criteria of REACH, Annex XIII. Can cause frostbite.

SECTION 3: Composition/information on ingredients

3.1. Substances

Chemical characterization

Gases under pressure (liquefied gas).

Hazardous components

CAS No	Chemical name				
	EC No	Index No	REACH No		
	Classification according to Regulation (EC) No. 1272/2008 [CLP]				
29118-24-9	1,3,3,3-Tetrafluoro-1-propene			100 %	
	471-480-0		01-0000019758-54-XXXX		
	Liquefied gas; H280				

Full text of H and EUH statements: see section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

First aider: Pay attention to self-protection!

After inhalation

Provide fresh air. Put victim at rest, cover with a blanket and keep warm. In all cases of doubt, or when symptoms persist, seek medical advice.

After contact with skin

In case of frostbite, wash with plenty of water; do not remove clothing. In case of skin reactions, consult a physician.

After contact with eyes

Rinse immediately carefully and thoroughly with eye-bath or water. Remove contact lenses, if present and easy to do. Continue rinsing. Consult an ophthalmologist.

After ingestion

No special measures are necessary.

4.2. Most important symptoms and effects, both acute and delayed

Frostbite

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Water spray jet, alcohol resistant foam, Extinguishing powder, Carbon dioxide (CO2).

Unsuitable extinguishing media

High power water jet

5.2. Special hazards arising from the substance or mixture

Non-flammable.

In case of fire may be liberated: Carbon monoxide Carbon dioxide (CO2). Hydrogen fluoride. Carbonyl difluoride.



according to Regulation (EC) No 1907/2006

KaVo DRYspray

Revision date: 10.11.2017 Page 3 of 9

Heating causes rise in pressure with risk of bursting.

5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus.

Additional information

Use water spray jet to protect personnel and to cool endangered containers. Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Use personal protection equipment. Evacuate area. Avoid contact with skin. Remove all sources of ignition. Do not breathe gas. Avoid contact with skin, eyes and clothes.

6.2. Environmental precautions

No special environmental measures are necessary.

6.3. Methods and material for containment and cleaning up

Leave to vapourize.

6.4. Reference to other sections

Safe handling: see section 7

Personal protection equipment: see section 8

Disposal: see section 13

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Provide adequate ventilation. Do not pierce or burn, even after use. Do not breathe gas/fumes/vapour/spray.

Advice on protection against fire and explosion

Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep container tightly closed. Keep in a cool, well-ventilated place. Caution! Container under pressure.

Remove all sources of ignition.

Advice on storage compatibility

No special measures are necessary.

Further information on storage conditions

Recommended storage temperature: 5 - 25 °C

7.3. Specific end use(s)

For cleaning up.

The product is intended for professional use.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Additional advice on limit values

Monitoring and observation processes:

To follow: DIN EN 482; DIN EN 689, DIN EN 14042

8.2. Exposure controls



according to Regulation (EC) No 1907/2006

KaVo DRYspray

Revision date: 10.11.2017 Page 4 of 9



Appropriate engineering controls

Provide adequate ventilation as well as local exhaustion at critical locations.

Protective and hygiene measures

Take off contaminated clothing. Wash hands before breaks and after work. When using do not eat or drink. Keep away from food, drink and animal feedingstuffs.

Eye/face protection

Wear eye/face protection. (DIN EN 166)

Hand protection

Wear protective gloves. (DIN EN 374)

Suitable material: NBR (Nitrile rubber).

Short-term (single):

Thickness of the glove material: >= 0,11 mm.

Long-term (continuous):

Thickness of the glove material: >= 0,40 mm

Breakthrough time (maximum wearing time): > 480 min

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

Skin protection

Wear suitable protective clothing.

Respiratory protection

In case of inadequate ventilation wear respiratory protection.

Environmental exposure controls

No special environmental measures are necessary.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state: liquid (Aerosol)
Colour: colourless
Odour: like: Ether

pH-Value: not applicable

Changes in the physical state

Melting point:

Initial boiling point and boiling range:

-19 °C

Flash point:

not applicable

not applicable

Flammability

Solid: No data available
Gas: No data available



according to Regulation (EC) No 1907/2006

KaVo DRYspray

Revision date: 10.11.2017 Page 5 of 9

Explosive properties

The product is not: Explosive.

Lower explosion limits:

Upper explosion limits:

Inot applicable

Inot applicable

Inot applicable

No data available

Auto-ignition temperature

Solid: not applicable
Gas: 368 °C

Decomposition temperature: No data available

Oxidizing properties

Not oxidising.

Vapour pressure: not determined

Density (at 20 °C): 1,19 g/cm³

Water solubility: practically insoluble

Solubility in other solvents

not determined

Partition coefficient: 1,6
Viscosity / dynamic: No data available
Viscosity / kinematic: No data available
Vapour density: not determined
Evaporation rate: No data available

9.2. Other information

Odour threshold: No data available

refraction index nD: No data available (20 °C) Conductivity: No data available (20 °C)

SECTION 10: Stability and reactivity

10.1. Reactivity

No hazardous reaction when handled and stored according to provisions.

10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

10.3. Possibility of hazardous reactions

Heating causes rise in pressure with risk of bursting.

10.4. Conditions to avoid

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Protect from sunlight.

10.5. Incompatible materials

No information available.

10.6. Hazardous decomposition products

In case of fire may be liberated: Carbon monoxide Carbon dioxide (CO2). Hydrogen fluoride. Carbonyl difluoride.

SECTION 11: Toxicological information

11.1. Information on toxicological effects



according to Regulation (EC) No 1907/2006

KaVo DRYspray

Revision date: 10.11.2017 Page 6 of 9

Acute toxicity

Based on available data, the classification criteria are not met.

CAS No	Chemical name						
	Exposure route	Dose	Species	Source	Method		
29118-24-9	1,3,3,3-Tetrafluoro-1-propene						
	\ /	LC50 > 965 mg/l	Rat	Manufacturer	OECD 403		

Irritation and corrosivity

Based on available data, the classification criteria are not met.

Sensitising effects

Based on available data, the classification criteria are not met.

Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

Additional information on tests

The mixture is classified as not hazardous according to regulation (EC) No 1272/2008 [CLP].

Practical experience

Other observations

Can cause frostbite.

Narcotic effects.

Asphyxiant in high concentrations.

Causes serious eye irritation. Causes tears. (liquefied gas)

SECTION 12: Ecological information

12.1. Toxicity

No data available

12.2. Persistence and degradability

No data available

12.3. Bioaccumulative potential

No indication of bioaccumulation potential.

Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
29118-24-9	1,3,3,3-Tetrafluoro-1-propene	1,6

12.4. Mobility in soil

No data available

12.5. Results of PBT and vPvB assessment

This substance does not meet the PBT/vPvB criteria of REACH, Annex XIII.

12.6. Other adverse effects

Global warming potential (GWP): 6

Further information

Avoid release to the environment.



according to Regulation (EC) No 1907/2006

KaVo DRYspray

Revision date: 10.11.2017 Page 7 of 9

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Advice on disposal

Do not allow to enter into surface water or drains. Dispose of waste according to applicable legislation. Do not mix with other wastes.

Waste disposal number of used product

160505 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; gases in pressure containers and

discarded chemicals; gases in pressure containers other than those mentioned in 16 05 04

Waste disposal number of contaminated packaging

150104 WASTE PACKAGING; ABSORBENTS, WIPING CLOTHS, FILTER MATERIALS AND

PROTECTIVE CLOTHING NOT OTHERWISE SPECIFIED; packaging (including separately

collected municipal packaging waste); metallic packaging

Contaminated packaging

Completely emptied packages can be recycled.

SECTION 14: Transport information

Land transport (ADR/RID)

14.1. UN number:UN 195014.2. UN proper shipping name:AEROSOLS

14.3. Transport hazard class(es):214.4. Packing group:-Hazard label:2.2



Classification code: 5A

Special Provisions: 190 327 344 625

Limited quantity: 1 L
Excepted quantity: E0
Transport category: 3
Tunnel restriction code: E

Inland waterways transport (ADN)

14.3. Transport hazard class(es):

14.1. UN number:UN 195014.2. UN proper shipping name:AEROSOLS

14.4. Packing group:
Hazard label: 2.2



2

Classification code: 5A

Special Provisions: 190 327 344 625

Limited quantity: 1 L
Excepted quantity: E0

Marine transport (IMDG)

14.1. UN number: UN 1950



according to Regulation (EC) No 1907/2006

KaVo DRYspray

Revision date: 10.11.2017 Page 8 of 9

14.2. UN proper shipping name: AEROSOLS

14.3. Transport hazard class(es): 2.2 14.4. Packing group: -

Hazard label: 2.2



Special Provisions: 63, 190, 277, 327, 344, 381, 959

Limited quantity: 1000 mL Excepted quantity: E0 EmS: F-D, S-U

Air transport (ICAO-TI/IATA-DGR)

14.1. UN number: UN 1950

14.2. UN proper shipping name: AEROSOLS, non-flammable

14.3. Transport hazard class(es): 2.2
14.4. Packing group: Hazard label: 2.2



Special Provisions: A98 A145 A167 A802

Limited quantity Passenger: 30 kg G
Passenger LQ: Y203
Excepted quantity: E0

IATA-packing instructions - Passenger:203IATA-max. quantity - Passenger:75 kgIATA-packing instructions - Cargo:203IATA-max. quantity - Cargo:150 kg

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: no

14.6. Special precautions for user

No special measures are necessary.

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulatory information

2010/75/EU (VOC): 100 %

Information according to 2012/18/EU Not subject to 2012/18/EU (SEVESO III)

(SEVESO III):

National regulatory information

Employment restrictions: Observe restrictions to employment for juvenils according to the 'juvenile

work protection guideline' (94/33/EC).

Water contaminating class (D): 1 - slightly water contaminating

15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.



according to Regulation (EC) No 1907/2006

KaVo DRYspray

Revision date: 10.11.2017 Page 9 of 9

SECTION 16: Other information

Changes

This data sheet contains changes from the previous version in section(s): 1,7,9.

Abbreviations and acronyms

ADR: Accord européen sur le transport des marchandises dangereuses par Route

(European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonized System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service LC50: Lethal concentration, 50%

LD50: Lethal dose, 50%

Relevant H and EUH statements (number and full text)

H229 Pressurised container: May burst if heated.

H280 Contains gas under pressure; may explode if heated.

Further Information

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.