

Replaces version: 3

(amended by regulation (EU) Nr. 453/2010)

Date of issue: 23.04.2015 Date of revision: 29.12.20 Valid from: 29.12.20 Version: 4 Colloidal Graphite, Thinner 03-1300, 03-1310 Ceramic Texture Marker gold, silver, Thinner 03-1250, 03-1260, 03-1280 Contact Marker red, blue, white, Thinner 03-1210, 03-1200, 03-1205, 03-1220, Aqua Spacer Thinner 03-4170

#### Section 1: Identification of the substance/mixture and of the company

#### 1.1 Product Identifier

Substances: Ethanol Index-no.: 603-002-00-5 EINECS: 200-578-6 CAS-no.: 64-17-5 REACH-registration no.: void **Other means or identification:** not detemined

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses: SU 20 health care. For identification of varying textures, irregularities, imperfections - for use in dental labs Uses advised against: Should not be used outside a dental lab.

#### **1.3 Details of the supplier of the safety data sheet** Supplier:

al dente Dentalprodukte GmbH

Street: Borsigstr. 1

Address / zip-code / town: D-38644 Goslar

**Information contact:** +49 (0) 5321-80031

#### Phone / Fax / Email:

+49 (0)5321-80031 / +49 (0)5321-50881 / E-Mail: info@aldente.de

#### **1.4 Emergency Telephone Number:**

+49 (0) 171 8637790

#### Section 2: Hazards identification:

**2.1 Classification of the substance or mixture:** Classification according to regulation (EC) no. 1272/2008 (CLP) Flammable liquids (chapter 2.6), category 2 (Flam. Liq. 2), H225, Eye irritation (chapter 3.3), category 2 (Eye Irrit. 2), H319,

For the full text of the H-statements mentioned in this section, see section 16.

#### 2.2 Label Elements

#### Labelling according to regulation (EC) no. 1272/2008 (CLP/GHS)

Hazard pictorams:





(amended by regulation (EU) Nr. 453/2010)

Date of issue: 23.04.2015 Date of revision: 29.12.20 Valid from: 29.12.20 Version: 4

Replaces version: 3

Colloidal Graphite, Thinner 03-1300, 03-1310 Ceramic Texture Marker gold, silver, Thinner 03-1250, 03-1260, 03-1280 Contact Marker red, blue, white, Thinner 03-1210, 03-1200, 03-1205, 03-1220, Aqua Spacer Thinner 03-4170

**Signal word / hazard designation: danger** (Flam.Liq. 2), warning (Skin Irrit. 2)

Hazardous component(s) for labelling: contains ethanol

Reduced labelling (≤125 ml) (according to exemptions from the packaging and labelling regulations according to EC-CLP-

regulation) Signal word: danger hazard pictograms:

#### Hazard statements:

H225:	Highly flammable liquid and vapour.
H319:	Causes serious eye irritation.
H336:	May couse drowsiness and dizziness

#### **Precautionary statements:**

P210:	Keep away from heat/sparks/open flames/hot surfaces. — No smoking.
P233:	Keep container tightly closed.
P102:	Keep out of reach of children.
P305+P351+P338:	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if
	present and easy to do. Continue rinsing.
P261:	Avoid breathing dust / fume.

#### Supplemental Hazard information (EU):

EUH066: Repeated exposure may cause skin dryness or cracking.

#### 2.3 Other Hazards:

No supplementary information available.

#### SECTION 3: Composition/information on ingredients

#### 3.1 Substances

Principal component of the substance:

Substance name: Ethanol This substance does not meet the PBT or vPvB criteria according to the regulation (EC) no. 1907/2006, annex XIII. Index-no.: 603-002-00-5 EINECS-no.: 200-578-6 CAS-no.: 64-17-5

Impurities, stabilizers: valid for the coloured products only, void for transparent thinners! Substance name: Colour pigments. This substance does not meet the PBT or vPvB criteria according to the regulation Index no.: void EINECS: void CAS-no.: void

#### 3.2 Mixtures not applicable

 Description of the mixture:

 EINCS:
 CAS-no.:

 Index-Nno.:
 REACH-registration no.:

 Content ration:
 %

 Classification according to regulation (EC) no. 1272/2008 (CLP)

(Full text of H- and EUH-phrases: see SECTION 16)



Replaces version: 3

(amended by regulation (EU) Nr. 453/2010)

Date of issue: 23.04.2015 Date of revision: 29.12.20 Valid from: 29.12.20 Version: 4 Colloidal Graphite, Thinner 03-1300, 03-1310 Ceramic Texture Marker gold, silver, Thinner 03-1250, 03-1260, 03-1280 Contact Marker red, blue, white, Thinner 03-1210, 03-1200, 03-1205, 03-1220, Aqua Spacer Thinner 03-4170

#### Section 4: First aid measures

4.1 Description of first aid measures: In general: take off contaminated clothing
Following inhalation: In case of dizziness after inhalation of vapors, take the person concerned to fresh air.
Following skin contact: Wash affected skin thoroughly with water and soap.
Following eye contact: Rinse eyes with current water for at least 10 minutes. If eye irritation persists consult a doctor.
Following ingestion: Rinse mouth. If discomfort persist consult a doctor.

**4.2 Most important symptoms and effects, both acute and delayed** Irritant effects, drowsiness, nausea, vomiting, headache, doziness.

**4.3 Indication of any immediate medical attention and special treatment needed** Notes for the doctor: not determined

Special treatment: not determined

#### Section 5: Firefighting measures

#### **5.1 Extinguishing media** Suitable: dry powder, foam, sand Unsuitable: water

#### 5.2 Special hazards arising from the substance or mixture

Flammable. An incomplete combustion may result in toxic components within the flue gas. In case of fire a respiratory equipment working independently from its ambient environment is recommended for the fire fighters.

#### 5.3 Advice for fire-fighters

In case of fire a respiratory equipment working independently from its ambient environment is recommended for the fire fighters.

#### Section 6: Accidental release measures

#### 6.1 Personal precautions, protective equipment and emergency procedures For non-emergency personnel

Remove all sources of ignition immediately. Ensure good ventilation. Do not inhale fume or spray. **For emergency responders** 

Personal protective equipment:

respiratory equipment working independently from its ambient environment

#### 6.2 Environmental precautions

Prevent the liquids from ingressing into surface water or drains.

#### 6.3 Methods and material for containment and cleaning up

Wear safety equipment, absorb with liquid binding material (sand, universal binding material) and dispose of as hazardous material.



(amended by regulation (EU) Nr. 453/2010)

Date of issue: 23.04.2015 Date of revision: 29.12.20 Valid from: 29.12.20 Version: 4

Replaces version: 3

Colloidal Graphite, Thinner 03-1300, 03-1310 Ceramic Texture Marker gold, silver, Thinner 03-1250, 03-1260, 03-1280 Contact Marker red, blue, white, Thinner 03-1210, 03-1200, 03-1205, 03-1220, Aqua Spacer Thinner 03-4170

#### 6.4 Reference to other sections

Dangerous combustion products: see section 5. Personal protective equipment: see section 8.

# Section 7: Handling and storage 7.1 Precautions for safe handling Fire preventions: Provide adequate ventilation. Keep away from sources of ignition – don't smoke! Provide adequate ventilation. Keep away from sources of ignition – don't smoke! Aerosol and dust generation preventions: Not determined Environmental precautions: Do not allow to reach the drain system Advice on general occupational hygiene: Follow the advice on general occupational hygiene, when dealing with chemicals, keep away from food, don't smoke. 7.2 Conditions for safe storage, including any incompatibilities

#### Storage conditions

Store under 30°C, tightly closed. Keep away from food. **Requirements for storage rooms and vessels** According to TRGS 510, annex 9, regulation for small quantities **Storage class:** (LGK) (VCI) 3

#### 7.3 Specific end uses

**Sector specific guidelines: dental laboratories** Except for the applications mentioned in section 1.2 there are no other specific end applications provided.

#### Section 8: Exposure controls / personal protection

#### 8.1 Control parameters

#### **Occupational exposure limits**

Substance: Ethanol; CAS-no. : 64-17-5Specification :TRGS 905/TRGS 900Limit value type (country<br/>of origin) :(AGW): 960 mg/m³ bzw. 500 ml/m³ (ppm)Peak limitation:Exceedance factor (ÜF) 2, category for short term values IIToxic to reproduction:A risk of foetal damage is ceased to fear when observing the MAK / BAT values.<br/>Not determined

#### 8.2 Exposure controls

#### Appropriate engineering controls

#### Personal protective equipment



# Safety data sheet in accordance with regulation (EC) no. 1907/2006 (amended by regulation (EU) Nr. 453/2010)

Date of issue: 23.04.2015 Date of revision: 29.12.20 Valid from: 29.12.20 Version: 4

Replaces version: 3

Colloidal Graphite, Thinner 03-1300, 03-1310 Ceramic Texture Marker gold, silver, Thinner 03-1250, 03-1260, 03-1280 Contact Marker red, blue, white, Thinner 03-1210, 03-1200, 03-1205, 03-1220, Aqua Spacer Thinner 03-4170

#### Eye / face protection



Wear tight fitting googles

#### Skin protection

#### Hand protection

The glove material has to be impermeable and resistant to the product. Full contact: Gloves made of butyl rubber. Layer thickness:  $\geq 0.7$  mm Penetration time:  $\geq 60$  min



Splash contact: Gloves made of nitrile rubber Layer thickness: 0,40 mm Penetration time: < 120 min.

#### **Body protection**

Wear adequate working clothes.

#### **Respiratory protection**

Generally there are no special measures to be taken. In case of release of a more important quantity (drained off bottle) provide for sufficient ventilation.

#### Thermal hazards

Not applicable if not stored over 45°C for a longer space of time.

#### **Environmental exposure controls**

Not determined

#### Section 9: Physical and chemical properties

#### 9.1 Information on basic physical and chemical properties:

1.1.1.1.1.1

Physical state:

- Aggregate state:	Liquid
- colour :	Depending on the execution: silver, gold, blue, red, white, grey, transparent
Odour :	Characteristic (like alcohol)
Odour threshould :	No data available
pH-value:	n.b.
Melting point / freezing point :	-114,5 °C
Initial boiling point/boiling range :	78 °C
Flash point:	13 °C



# Safety data sheet in accordance with regulation (EC) no. 1907/2006 (amended by regulation (EU) Nr. 453/2010)

Date of issue: 23.04.2015 Date of revision: 29.12.20 Valid from: 29.12.20 Version: 4

Replaces version: 3

No data available

Colloidal Graphite, Thinner 03-1300, 03-1310 Ceramic Texture Marker gold, silver, Thinner 03-1250, 03-1260, 03-1280 Contact Marker red, blue, white, Thinner 03-1210, 03-1200, 03-1205, 03-1220, Aqua Spacer Thinner 03-4170

Evaporation rate : Flammability: Upper/lower explosive limits Vapour pressure : Vapour density: Relative density: Solubility: Partition coefficient: n-octanol/water: Auto-ignition temperature: Decomposition temperature: Viscosity: explosive properties: Oxidising properties:

n.b. 15,0 Vol% // 3,4 Vol% 59 hPa when 20 °C No data available n.b. Unlimited miscibility n.b. 425 °C No data available n.b. Not classified as explosive none

### 9.2 Other information

#### **Physical hazards**

**Explosives** There are no further data avialable

#### Section 10: Stability and reactivity

#### 10.1 Reactivity:

Risk of ignition

#### 10.2 Chemical stability:

Under standard ambient conditions the material is chemically stable.

#### 10.3 Possibility of hazardous reactions:

Not determined

#### 10.4 Conditions to avoid:

Storing for a longer space of time over 45°C.

#### 10.5 Incompatible materials:

Strong oxidants

#### 10.6 Hazardous decomposition products:

None when storing at room temperature.

#### Section 11: Toxicological information

#### **11.1** Information on toxicological effects

#### Acute toxicity

LD50 rat: 10.470 mg/kg OECD test guideline 401 Symptoms: slight irritation of mucous membrane



Replaces version: 3

(amended by regulation (EU) Nr. 453/2010)

Date of issue: 23.04.2015 Date of revision: 29.12.20 Valid from: 29.12.20 Version: 4 Colloidal Graphite, Thinner 03-1300, 03-1310 Ceramic Texture Marker gold, silver, Thinner 03-1250, 03-1260, 03-1280 Contact Marker red, blue, white, Thinner 03-1210, 03-1200, 03-1205, 03-1220, Aqua Spacer Thinner 03-4170

#### Skin irritation

Result rabbit: no skin irritation OECD test guideline 404

Repeated or prolonged exposure may cause skin irritation and dermatitis due to degreasing properties of the product (EUH066) **Eye irritation** Result rabbit: eye irritation OECD test guideline 405 Causes serious eye irritation (H319) Sensitisation to the respiratory tract / skin Test on sensitisation (Magnusson und Kligman): Result: negative Germ cell mutagenicity Genotoxity in vitro Ames test Salmonella typhimurium Result: negative Method: OECD test guideline 471 Carcinogenicity No information available **Reproductive toxicity** No information available Specific target organ toxicity (single exposure) No information available Specific target organ toxicity (repeated exposure) No information available Aspiration hazard No information available

#### Symptoms related to the physical, chemical and toxicological characteristics:

In case of ingestion: after a resorption of immense quantities: dizziness, rapture, anesthesia.

In case of skin contact: dryness In case of inhalation: euphoria In case of eye contact: irritation Systemic effect: Euphoria Follow the usual instructions when dealing with chemicals.

#### Section 12: Ecological information

#### 12.1 Toxicity

The product is slightly hazardous to water (water pollution class I). The hazard presented by this product in a container of 20 ml can be neglected.

#### 12.2 Persistence and degradability

Biodegradability 94 % OECD test guideline 301E Easily biodegradable.

#### 12.3 Bioaccumulative potential

Bioaccumulation is not to be expected.



(amended by regulation (EU) Nr. 453/2010)

Date of issue: 23.04.2015 Date of revision: 29.12.20 Valid from: 29.12.20 Version: 4

Replaces version: 3

Colloidal Graphite, Thinner 03-1300, 03-1310 Ceramic Texture Marker gold, silver, Thinner 03-1250, 03-1260, 03-1280 Contact Marker red, blue, white, Thinner 03-1210, 03-1200, 03-1205, 03-1220, Agua Spacer Thinner 03-4170

#### 12.4 Mobility in soil

No information available

#### 12.5 Results of PBT- and vPvB assessment

This substance does not meet the PBT or vPvB criteria according to the regulation (EC) no. 1907/2006, annex XIII.

#### 12.6 Other adverse effects

No environmental problems can be expected when handeled and used properly. Leakage into the environment is to be prevented.

#### Section 13: Disposal considerations

#### 13.1 Waste treatment methods

#### Contaminated packaging disposal

Containers are to be treated as the producct itself. 150110 (AVV)

#### Waste codes / waste designations according to EWC / AVV:

160506 (AVV)

#### Special precautions

none

#### Other relevant provisions for waste treatment national or EC

Waste directive 2008/98/EC has to be observed.

#### Section 14: Transport information

#### 14.1UN-no.

UN 1170

#### 14.2UN proper shipping name

ADR/RID Ethanol

IMDG-Code / ICAO-TI / IATA-DGR Ethanol EmS F-E S-D

#### 14.3 Transport hazard class(es) / hazard labels Class 3

#### 14.4 Packing group

IT

#### 14.5 Environmental hazards

**Environmentally hazardous substance marking** ADR/RID / IMDG-Code / ICAO-TI / IATA-DGR: \_\_\_\_ yes / XXX no Marine Pollutant: yes / XXX no



(amended by regulation (EU) Nr. 453/2010)

Date of issue: 23.04.2015 Date of revision: 29.12.20 Valid from: 29.12.20 Version: 4

Replaces version: 3

Colloidal Graphite, Thinner 03-1300, 03-1310 Ceramic Texture Marker gold, silver, Thinner 03-1250, 03-1260, 03-1280 Contact Marker red, blue, white, Thinner 03-1210, 03-1200, 03-1205, 03-1220, Aqua Spacer Thinner 03-4170

#### 14.6 Special precautions for user

Do not expose to sources of ignition. Beware of inflammable materials.

#### 14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code Pollution category (X, Y or Z) :

Type of ship (1, 2 or 3) :

not relevant

#### Section 15: Regulatory information

## 15.1Safety, health and environmental regulations/legislation specific for the substance or mixture

#### EU-regulations, e.g.:

Directive /EC) no. 2037/2000 (substances that deplete the ozone layer): Not regulated

Directive (EC) no. 850/2004 (persistent organic pollutants): Not regulated

Directive (EC) no. 689/2008 (export and import of dangerous chemicals): Not regulated

Directive (EC) no. 648/2004 (detergent regulation): Not regulated

**Restrictions in accordance with title VIII of the regulation (EC) no. 1907/2006:** This product does not contain any ingredients of very high concern according to REACH EC no. 1907/2006, Art. 57 low concentration limit of  $\geq 0,1 \%$  (w/w).

#### National regulations, e.g.:

Water hazard class: 1 (slightly hazardous)

Technical instructions on Air Quality Control (TA-Luft) Not regulated

#### Other relevant regulations

#### Leaflet BG-Chemie

M004 irritant materials M050 tasks with hazardous materials Ethanol (64-17-5) AGW: 500 ppm 960 mg/m3 peak limit value 2 if one meets the AGW- und BGW values no risk of reproductional damage is to be expected (see no. 8.1).

#### ----

**TRGS 900** 

#### **15.2 Chemical safety assessment**

No chemical safety assessment has been performed on this substance.

#### Section 16: Other information



(amended by regulation (EU) Nr. 453/2010)

Date of issue: 23.04.2015 Date of revision: 29.12.20 Valid from: 29.12.20 Version: 4

Replaces version: 3

Colloidal Graphite, Thinner 03-1300, 03-1310 Ceramic Texture Marker gold, silver, Thinner 03-1250, 03-1260, 03-1280 Contact Marker red, blue, white, Thinner 03-1210, 03-1200, 03-1205, 03-1220, Aqua Spacer Thinner 03-4170

#### Indication of changes

Adaption to the classification and labelling according to directive (EC) no. 1272/2008 Section 1: Emergency phone number.

#### Abbreviations and acronyms

n.a. Not applicable

#### Key literature references and sources for data

Gestis substance data base - <u>http://gestis.itrust.de/</u> Federal Agency for Industrial Health and Safety – <u>www.baua.de</u>

# Classification for mixtures and used evaluation method according to regulation (EC) 1207/2008 [CLP]:

#### Relevant R-, H- and EUH-phrases (number and full text):

#### Hazard statements:

H225:	Highly flammable liquid and vapour.
H319:	Causes serious eye irritation.
H336:	May cause drowsiness and dizziness

#### Precautionary statements:

P210:	Keep away from heat/sparks/open flames/hot surfaces. — No smoking.
P233:	Keep container tightly closed.
P102:	Keep out of reach of children.
P305+P351+P338:	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if
	present and easy to do. Continue rinsing.
P261:	Avoid breathing dust / fume.

#### Supplemental Hazard information (EU):

EUH066: Repeated exposure may cause skin dryness or cracking.

#### Training advice

Provide adequate information, instruction and training for operators / technicians using this product.

#### **Further information**

This information is based on our present state of knowledge. It should therefore not be construed as guaranteeing specific properties of the products described or their suitability for a particular application. We do not take any responsibility for possible sources of errors or sufficiency of this document. The user of the product accepts the sole responsibility to adhere to all herein mentioned regulations. It is the user's obligation to read this document carefully.