### StarLoy soft

Page:

Version: 3.0 / GB Material no. Revision date: 03.12.2021 Issue date: 18.04.2006 replaces version:

2.4

1/10

Specification 156458 VA-Nr 01906947



## SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. **Product identifier**

Trade name StarLoy soft

REACH Registration No.: if available listed in Chapter. 3

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Relevant applications identified For dental use only.

#### Details of the supplier of the safety data sheet 1.3.

Company DeguDent GmbH

> Postfach 1364 D-63403 Hanau

Telephone +49 (0)6181/59-5576 Telefax +49 (0)6181/59-5879

Email address SDB.Degudent-DE@dentsplysirona.com

#### 1.4. **Emergency telephone number**

**Emergency information** +49 (0)6181/59-50 (This telephone number is available during office

hours only.)

### **SECTION 2: Hazards identification**

#### 2.1. Classification of the substance or mixture

### Classification according to Regulation (EC) No. 1272/2008 [CLP]

Respiratory sensitization	Category 1	H334
Skin Sensitisation	Category 1	H317
Hazardous to the aquatic environment - Chronic Hazard	Category 4	H413
Reproductive toxicity	Category 1	H360F
Carcinogenicity	Category 1	H350
Germ cell mutagenicity	Category 2	H341

#### 2.2. Label elements

### Labelling as per (EU) 1272/2008

Statutory basis EU-CLP as per Regulation (EU) No. 1272/2008, Annex VI

# hazard-defining component(s) (GHS)

cobalt

Hazard pictograms



### StarLoy soft

Version: 3.0 / GB Material no. Revision date: 03.12.2021 Issue date: 18.04.2006

replaces version: 2.4 Page: 2/10 Specification 156458 VA-Nr 01906947



Signal word Danger

H334 - May cause allergy or asthma symptoms or breathing difficulties if inhaled. Hazard statement

H317 - May cause an allergic skin reaction.

H413 - May cause long lasting harmful effects to aquatic life.

H341 - Suspected of causing genetic defects.

H350 - May cause cancer. H360F - May damage fertility.

Precautionary statement P280 - Wear protective gloves/protective clothing/eye protection.

Precautionary statement:

P261 - Avoid breathing dust/ fume/ gas/ mist/ vapours/ spray.

Prevention

P272 - Contaminated work clothing should not be allowed out of the workplace.

P273 - Avoid release to the environment.

P285 - In case of inadequate ventilation wear respiratory protection.

Precautionary statement:

P302 + P352 - IF ON SKIN: Wash with plenty of water/ soap. Reaction

P304 + P341 - IF INHALED: If breathing is difficult, remove victim to fresh air and

keep at rest in a position comfortable for breathing.

P333 + P313 - If skin irritation or rash occurs: Get medical advice/ attention. P342 + P311 - If experiencing respiratory symptoms: Call a POISON CENTER or

doctor/ physician.

P363 - Wash contaminated clothing before reuse.

Precautionary statement:

Storage

P405 - Store locked up.

Precautionary statement: Disposal

P501 - Dispose of contents/container in accordance with local regulation.

#### 2.3. Other hazards

May react forming chromium(VI) compounds when processing thermally., Possible release of metallic vapors when melted.

Cobalt vapor will be released while processing., Limited evidence of a carcinogenic effect.

A PBT/vPvB evaluation is not available, since a chemical safety evaluation is not required / has not been carried out.

#### **SECTION 3: Composition/information on ingredients**

#### 3.1. **Substances**

## 3.2.

Information on ingredients / Hazardous components as per EU-CLP Regulation (EC) No. 1272/2008

• cobalt	54.1%				
Skin Sensi Hazardous Germ cell r	to the aquatic envi nutagenicity reproduction	EC-No. ironment - Chronic	231-158-0 Hazard	Category 1 Category 1 Category 4 Category 2 Category 1B Category 1B	H334 H317 H413 H341 H360F H350
• chromiu	ım		20.0%		
CAS-No.	7440-47-3	EC-No.	231-157-5		
• tungste	<b>n</b> 16.4%				
CAS-No.	7440-33-7	EC-No.	231-143-9		

### StarLoy soft

Version:3.0 / GBMaterial no.Revision date:03.12.2021SpecificationIssue date:18.04.2006VA Ne

replaces version: 2.4 Page: 3 / 10 Naterial no.

Specification 156458

VA-Nr 01906947



• Niobium	0.2%			
CAS-No.	7440-03-1	EC-No.	231-113-5	
• iron	7.5%			
CAS-No.	7439-89-6	EC-No.	231-096-4	
• Silicium	1.5%			
CAS-No.	7440-21-3	EC-No.	215-609-9	
• mangane	ese		0.3%	
CAS-No.	7439-96-5	EC-No.	231-105-1	

Texts of H phrases, see in Chapter 16

#### **SECTION 4: First aid measures**

#### 4.1. Description of first aid measures

#### Inhalation

Remove to fresh air.

If symptoms persist, call a physician.

#### **Skin contact**

Wash off with soap and water.

In the case of skin irritation or allergic reactions see a physician.

#### Eye contact

Rinse with plenty of water.

If eye irritation persists, consult a specialist.

#### Ingestion

Clean mouth with water and drink afterwards plenty of water.

Obtain medical attention.

# 4.2. Most important symptoms and effects, both acute and delayed

# **Symptoms**

None known

## Hazards

None known

# 4.3. Indication of any immediate medical attention and special treatment needed

None known

#### **SECTION 5: Firefighting measures**

### 5.1. Extinguishing media

Suitable extinguishing media: Special powder against metal fire

quenching powder

dry sand common salt

Unsuitable extinguishing media: Water

Carbon dioxide (CO2)

#### 5.2. Special hazards arising from the substance or mixture

Can be released in case of fire: cobalt oxide.

#### 5.3. Advice for firefighters

The product itself does not burn.

Prevent fire extinguishing water from contaminating surface water or the ground water system.

In the event of fire, wear self-contained breathing apparatus.

### StarLoy soft

Page:

 Version:
 3.0 / GB

 Revision date:
 03.12.2021

 Issue date:
 18.04.2006

 replaces version:
 2.4

4/10

Material no.
Specification 156458
VA-Nr 01906947



#### **SECTION 6: Accidental release measures**

## 6.1. Personal precautions, protective equipment and emergency procedures

Avoid dust formation.

Avoid breathing dust.

In case of dust being formed, provide for adequate extraction.

Ensure suitable suction/aeration at the work place and with operational machinery.

#### 6.2. Environmental precautions

Do not flush into surface water or sanitary sewer system.

# 6.3. Methods and material for containment and cleaning up

Use mechanical handling equipment.

Avoid dust formation.

Fill into marked, sealable containers.

#### 6.4. Reference to other sections

Wear personal protective equipment; see section 8.

Disposal considerations; see section 13.

#### SECTION 7: Handling and storage

## 7.1. Precautions for safe handling

In case of melting, soldering or grinding:

Local ventilation.

Avoid dust formation.

In case of dust or vapor: Wear personal safety equipment

Dusts and vapors: Do not inhale.

## 7.2. Conditions for safe storage, including any incompatibilities

#### Storage

No special storage conditions required.

#### German storage class

13 - Non Combustible Solids

# 7.3. Specific end use(s)

We are unaware of any specific end uses which go beyond the data reported in Section 1.

### **SECTION 8: Exposure controls/personal protection**

# 8.1. Control parameters

• cobalt			
CAS-No. Control parameters	7440-48-4 0.1 mg/m3	EC-No.	231-158-0 Time Weighted Average (TWA):(EH40 WEL)
Control parameters	0.02 mg/m3		Time Weighted Average (TWA):(NZ OEL)
Control parameters	0.02 mg/m3		Time Weighted Average (TWA):
Control parameters	0.02 mg/m3		Time Weighted Average (TWA):(KOR OEL)
• chromium			
CAS-No. Control parameters	7440-47-3 0.5 mg/m3	EC-No.	231-157-5 Time Weighted Average (TWA):(EH40 WEL)
Control parameters	2 mg/m3 Indicative		Time Weighted Average (TWA):(EU ELV)
Control parameters	0.5 mg/m3		Time Weighted Average (TWA):(NZ OEL)
Control parameters	0.5 mg/m3		Time Weighted Average (TWA):
Control parameters	0.5 mg/m3		Time Weighted Average (TWA):(KOR OEL)
• tungsten			

SAFETY DATA SHEET (EC 1907/2006)					
Sta	rLoy soft				
Issue	sion date: e date: aces version:	3.0 / GB 03.12.2021 18.04.2006 2.4 5 / 10	Material no. Specification VA-Nr	156458 01906947	<b>Dentsply</b> Sirona
	CAS-No. Control parameters	7440-33-7 5 mg/m3	EC-No.	231-143-9 Time Weighted Av	verage (TWA):(EH40 WEL)
	Control parameters	10 mg/m3		Short Term Expos WEL)	ure Limit (STEL):(EH40
	Silicium				
	CAS-No. Control parameters type of exposure	7440-21-3 10 mg/m3 Inhalable dust.	EC-No.	215-609-9 Time Weighted Av	verage (TWA):(EH40 WEL)

Time Weighted Average (TWA):(EH40 WEL)

Time Weighted Average (TWA):(EH40 WEL)

231-105-1

type of exposure	Respirable dust.
• manganese	

4 mg/m3

7439-96-5

0.5 mg/m3

# 8.2. Exposure controls

CAS-No.

Control parameters

Control parameters

#### **Engineering measures**

Cobalt vapor will be released while processing., Adequate exhaustion / ventilation of the work site or machinery must be assured. Vacuuming of objects.

EC-No.

#### Personal protective equipment

#### Respiratory protection

In case of working with / without sufficient object exhaustion:, Respirator with P3 particle filter

# **Hand protection**

Protective gloves

Glove material butyl-rubber, Nitrile rubber, Natural Rubber/Natural latex (NR)

# Eye/face protection

Safety glasses with side-shields, In case of smoke or dust development: goggles

# Skin and body protection

If cobalt - vapour occurs: Change contaminated clothing., Apply adequate skin protection agents before handling the product. Assure skin cleaning and skin care after work. Preventive skin protection is recommended.

# Hygiene measures

If there is the possibility of skin/eye contact, the indicated hand/eye/body protection should be used., Do not eat, drink, smoke, or sniff while at work. Wash your hands and/or face before breaks and before termination of work., Do not inhale smoke, dust, vapor., If workplace exposure limits are exceeded and/or larger amounts are released (leakage, spilling, dust) the indicated respiratory protection should be used.

## **SECTION 9: Physical and chemical properties**

#### 9.1. Information on basic physical and chemical properties

**Appearance** 

Form solid
Colour white
Odour odourless

Odour threshold: not applicable

pH not applicable

(solid)

Melting point/range 1390 - 1410 °C

Boiling point/range not applicable

(solid)

### StarLoy soft

Version: 3.0 / GB Revision date: 03.12.2021 Issue date: 18.04.2006 replaces version: 2.4 Page: 6/10

Material no. Specification

VA-Nr

156458 01906947



Flash point does not flash

Evaporation rate not applicable, (solid)

Flammability (solid, gas) not flammable

Lower explosion limit not applicable

Upper explosion limit not applicable

Vapour pressure not applicable

Vapour density not applicable

Density 9.1 g/cm3

insoluble Water solubility

Partition coefficient: n-

octanol/water

not applicable

Autoinflammability Not capable of spontaneous combustion or heating.

Thermal decomposition not applicable

Viscosity, dynamic not applicable

Explosiveness not applicable

Oxidizing properties not oxidizing

#### Other information 9.2.

Other information No further physicochemical data were determined.

# **SECTION 10: Stability and reactivity**

#### Reactivity 10.1.

no data available

# 10.2. Chemical stability

The product is chemically stable.

#### 10.3. Possibility of hazardous reactions

Possibility of hazardous

No dangerous reactions known.

reactions

# 10.4. Conditions to avoid

No limitations

#### 10.5. Incompatible materials

None known

## **Hazardous decomposition products**

Decomposition products occurring when heated above melting temperature metallic vapors

# **SECTION 11: Toxicological information**

# 11.1. Information on toxicological effects

Acute oral toxicity no data available

StarLoy soft

 Version:
 3.0 / GB

 Revision date:
 03.12.2021

 Issue date:
 18.04.2006

 replaces version:
 2.4

 Page:
 7 / 10

Material no.
Specification 156458
VA-Nr 01906947



Acute inhalation toxicity no data available

Acute dermal toxicity no data available

Skin irritation no data available

Eye irritation no data available

Sensitization May cause sensitisation of susceptible persons by skin contact or by

inhalation of dust., Allergic reactions caused by ions of cobalt and chromium are known. For none of the cobalt and chromium containing

alloys of DeguDent a documented allergic reaction is known.

Repeated dose toxicity no data available

Mutagenicity assessment no data available

Carcinogenicity No data available

Toxicity to reproduction No data available

Human experience Toxic effects from handling this product are unknown as yet.

The solubility of the alloy is extremely low. It must therefore be assumed that the daily uptake of these elements is considerably exceeds that from the alloy., As a constituent of vitamin B12 cobalt is an essential element of the human body ., The daily dietary uptake of chromium amounts to several milligrams., Information taken from reference works and the

literature.

Further information No hazardous reactions are known if properly handled and stored.

Cobalt (dusts and vapours):, Clues to possible carcinogenic effects in

animal experiments. literature

### **SECTION 12: Ecological information**

#### 12.1. Toxicity

No ecotoxicological data is available for this product.

## 12.2. Persistence and degradability

Biodegradability no data available

## 12.3. Bioaccumulative potential

Bioaccumulation no data available

#### 12.4. Mobility in soil

Mobility The product is insoluble in water.

No further information available

#### 12.5. Results of PBT and vPvB assessment

A PBT/vPvB evaluation is not available, since a chemical safety evaluation is not required / has not been carried out.

#### StarLoy soft

Version:3.0 / GBMaterial no.Revision date:03.12.2021SpecificationIssue date:18.04.2006VA-Nr

replaces version: 2.4 Page: 8 / 10 Dentsply Sirona

#### 12.6. Other adverse effects

Further Information Dusts and water-soluble forms of the alloy:, Introduction into soil, natural

water bodies or sewerage must be prevented.

156458

01906947

#### **SECTION 13: Disposal considerations**

#### 13.1. Waste treatment methods

#### **Product**

Disposal according to local authority regulations.

#### Uncleaned packaging

Disposal according to local authority regulations.

### **SECTION 14: Transport information**

#### Not dangerous according to transport regulations.

14.1. UN number: -14.2. UN proper shipping name: -14.3. Transport hazard class(es): -14.4. Packing group: -14.5. Environmental hazards: -14.6 Special precautions for user: No

# **SECTION 15: Regulatory information**

# 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture National legislation

### 15.2. Chemical safety assessment

Chemical safety assessment No Chemical Safety Report as per Articles 2(8), 2(9) or 14 of the REACH

Regulatione is required for this product.

## **SECTION 16: Other information**

# Classification and applied procedure to derive the classification of mixtures according to EU Regulation (EC) No. 1272/2008 (CLP)

Classification	Classification procedure
Resp. Sens., 1 , H334	
Skin Sens., 1 , H317	
Aquatic Chronic, 4, H413	
Repr., 1, H360F	
Carc., 1 , H350	
Muta., 2 , H341	

#### Relevant H phrases from chapter 3

H317 : May cause an allergic skin reaction.

H334 : May cause allergy or asthma symptoms or breathing difficulties if inhaled.

H341 : Suspected of causing genetic defects.

H350 : May cause cancer. H360F : May damage fertility.

H413 : May cause long lasting harmful effects to aquatic life.

## **Further information**

Changes since the last version are highlighted in the margin. This version replaces all previous versions.

StarLoy soft

 Version:
 3.0 / GB

 Revision date:
 03.12.2021

 Issue date:
 18.04.2006

 replaces version:
 2.4

 Page:
 9 / 10

 Material no.

 Specification
 156458

 VA-Nr
 01906947



This information and all further technical advice is based on our present knowledge and experience. However, it implies no liability or other legal responsibility on our part, including with regard to existing third party intellectual property rights, especially patent rights. In particular, no warranty, whether express or implied, or guarantee of product properties in the legal sense is intended or implied. We reserve the right to make any changes according to technological progress or further developments. The customer is not released from the obligation to conduct careful inspection and testing of incoming goods. Performance of the product described herein should be verified by testing, which should be carried out only by qualified experts in the sole responsibility of a customer. Reference to trade names used by other companies is neither a recommendation, nor does it imply that similar products could not be used.

Legend

ADR European Agreement concerning the International Carriage of Dangerous Goods by

Road

ADN European Agreement concerning the International Carriage of Dangerous Goods by

**Inland Waterways** 

**ASTM** American Society for Testing and Materials

ATP Adaptation to Technical Progress

**BCF** Bioconcentration factor

**BetrSichV** German Ordinance on Industrial Safety and Health

**c.c.** closed cup

CAS Chemical Abstract Services

**CESIO** European Committee of Organic Surfactants and their Intermediates

**ChemG** German Chemicals Act

**CMR** carcinogenic-mutagenic-toxic for reproduction

DIN German Institute for Standardization
DMEL Derived minimum effect level
DNEL Derived no effect level

**EINECS** European Inventory of Existing Commercial Chemical Substances

**EC50** half maximal effective concentration

GefStoffV German Ordinance on Hazardous Substances

GGVSEB German ordinance for road, rail and inland waterway transportation of dangerous

goods

**GGVSee** German ordinance for sea transportation of dangerous goods

GLP Good Laboratory Practice
GMO Genetic Modified Organism

IATA International Air Transport Association
 ICAO International Civil Aviation Organization
 IMDG International Maritime Dangerous Goods
 ISO International Organization For Standardization

LOAEL Lowest observed adverse effect level

LOEL Lowest observed effect level
NOAEL No observed adverse effect level
NOEC no observed effect concentration

NOEL no observed effect level

o. c. open cup

OECD Organisation for Economic Cooperation and Development

OEL Occupational Exposure Limit
PBT Persistent, bioaccumulative, toxic
PEC Predicted effect concentration
PNEC Predicted no effect concentration

**REACH** REACH registration

RID Convention concerning International Carriage by Rail

**STOT** Specific Target Organ Toxicity **SVHC** Substances of Very High Concern

**TA** Technical Instructions

**TPR** Third Party Representative (Art. 4)

TRGS Technical Rules for Hazardous Substances
VCI German chemical industry association
vPvB very persistent, very bioaccumulative

StarLoy soft

Version:3.0 / GBMaterial no.Revision date:03.12.2021SpecificationIssue date:18.04.2006VA-Nr

replaces version: 2.4 Page: 10 / 10 Specification 156458 VA-Nr 01906947



**VOC** volatile organic compounds

VwVwS German Administrative Regulation on the Classification of Substances Hazardous to

Waters into Water Hazard Classes

WGK Water Hazard Class
WHO World Health Organization