

TICKOPUR R 33

Revision date: 23.06.2023

No: 83023

Page 1 of 10

SECTION 1: Identification of the substance/mixture and of the company/undertaking**1.1. Product identifier**

TICKOPUR R 33

UFI: A910-S041-400N-REGK

1.2. Relevant identified uses of the substance or mixture and uses advised against**Use of the substance/mixture**

Cleaning agent. Universal cleaner, with corrosion protection, for the ultrasonic bath, concentrate.
Restricted to professional users.

1.3. Details of the supplier of the safety data sheet

Company name: DR.H.STAMM GmbH Chemische Fabrik
Street: Heinrichstr. 3 – 4
Place: 12207 Berlin, GERMANY
Telephone: +49 30 76880-280
e-mail: info@dr-stamm.de
Internet: www.dr-stamm.de
Responsible Department: sdb@dr-stamm.de, Tel.: +49 30 76880-258

1.4. Emergency telephone number: 24-hours-emergency: Giftnotruf Berlin: +49 30 30686700 (german, english)

SECTION 2: Hazards identification**2.1. Classification of the substance or mixture****GB CLP Regulation**

Skin Irrit. 2; H315

Eye Dam. 1; H318

Full text of hazard statements: see SECTION 16.

2.2. Label elements**GB CLP Regulation****Hazard components for labelling**

Phosphoric acid ester, sodium-salt

Disodium metasilicate pentahydrat

Signal word: Danger**Pictograms:****Hazard statements**

H315 Causes skin irritation.

H318 Causes serious eye damage.

Precautionary statements

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

SECTION 3: Composition/information on ingredients**3.2. Mixtures**

TICKOPUR R 33

Revision date: 23.06.2023

No: 83023

Page 2 of 10

Hazardous components

CAS No	Chemical name	Quantity
	EC No	
	Index No	
	REACH No	
	Classification (GB CLP Regulation)	
7732-18-5	Water	70-80 %
	231-791-2	
7320-34-5	Tetrapotassium pyrophosphate	<9,0 %
	230-785-7	
	01-2119489369-18	
	Eye Irrit. 2; H319	
111798-26-6	Phosphoric acid ester, sodium-salt	<8,0 %
	-	*
	Skin Irrit. 2, Eye Dam. 1; H315 H318	
51981-21-6	N,N-bis(carboxylatomethyl)-L-glutamate, Sodium salt	<6,0 %
	257-573-7	
	01-2119493601-38	
	Met. Corr. 1; H290	
10213-79-3	Disodium metasilicate pentahydrat	<4,0 %
	229-912-9	
	01-2119449811-37	
	Met. Corr. 1, Skin Corr. 1B, Eye Dam. 1, STOT SE 3; H290 H314 H318 H335	
1471314-81-4	Amides, C12-18 (even numbered), N-[3-(dimethylamino) propyl], N'-oxides	<1,0 %
	939-581-9	
	01-2119978229-22	
	Acute Tox. 4, Skin Irrit. 2, Eye Dam. 1, Aquatic Acute 1, Aquatic Chronic 3; H302 H315 H318 H400 H412	

Full text of H and EUH statements: see section 16.

Specific Conc. Limits, M-factors and ATE

CAS No	EC No	Chemical name	Quantity
		Specific Conc. Limits, M-factors and ATE	
7320-34-5	230-785-7	Tetrapotassium pyrophosphate	<9,0 %
		dermal: LD50 = 7940 mg/kg; oral: LD50 = >2000 mg/kg	
111798-26-6	-	Phosphoric acid ester, sodium-salt	<8,0 %
		oral: LD50 = >2000 mg/kg	
51981-21-6	257-573-7	N,N-bis(carboxylatomethyl)-L-glutamate, Sodium salt	<6,0 %
		oral: LD50 = >5000 mg/kg	
10213-79-3	229-912-9	Disodium metasilicate pentahydrat	<4,0 %
		dermal: LD50 = >5000 mg/kg; oral: LD50 = 1349 mg/kg	
1471314-81-4	939-581-9	Amides, C12-18 (even numbered), N-[3-(dimethylamino) propyl], N'-oxides	<1,0 %
		dermal: LD50 = >2000 mg/kg; oral: LD50 = 1000 mg/kg	

Labelling for contents according to Regulation (EC) No 648/2004

5 % - < 15 % phosphates, 5 % - < 15 % anionic surfactants, < 5 % non-ionic surfactants.

Further Information

*Polymer

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

Change contaminated clothing.

TICKOPUR R 33

Revision date: 23.06.2023

No: 83023

Page 3 of 10

After inhalation

In case of inhaling spray mists, consult a doctor .

After contact with skin

After contact with skin, wash immediately with plenty of Water and soap.

After contact with eyes

Immediately flush eyes with plenty of flowing water for 10 to 15 minutes holding eyelids apart. In case of troubles or persistent symptoms, consult an ophthalmologist.

After ingestion

Rinse mouth immediately and drink large quantities of water. Do not induce vomiting. Consult physician.

4.2. Most important symptoms and effects, both acute and delayed

No symptoms known up to now.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures**5.1. Extinguishing media****Suitable extinguishing media**

Water. Foam. Atomized water.

Unsuitable extinguishing media

High power water jet.

5.2. Special hazards arising from the substance or mixture

Can be released in case of fire: Nitrogen oxides (NOx). Carbon dioxide (CO2).

5.3. Advice for firefighters

Protective clothing.

Additional information

Material is not combustible. Extinguishing materials should be selected according to the surrounding area.

SECTION 6: Accidental release measures**6.1. Personal precautions, protective equipment and emergency procedures****General advice**

Wear personal protection equipment.

6.2. Environmental precautions

Do not empty into drains or the aquatic environment.

6.3. Methods and material for containment and cleaning up**Other information**

Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents).

Treat the assimilated material according to the section on waste disposal.

6.4. Reference to other sections

See protective measures under point 7 and 8.

SECTION 7: Handling and storage**7.1. Precautions for safe handling****Advice on safe handling**

No special technical protective measures are necessary.

Advice on protection against fire and explosion

Product is not: Oxidizing. Flammable. explosive.

TICKOPUR R 33

Revision date: 23.06.2023

No: 83023

Page 4 of 10

Advice on general occupational hygiene

Do not eat, drink, smoke or sneeze at the workplace. Wash hands before breaks and at the end of work.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Store only in original container. Keep away from food, drink and animal feedingstuffs.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

DNEL/DMEL values

CAS No	Substance	Exposure route	Effect	Value
7320-34-5	Tetrapotassium pyrophosphate			
Worker DNEL, long-term		inhalation	systemic	2,79 mg/m ³
Consumer DNEL, long-term		inhalation	systemic	0,68 mg/m ³
Consumer DNEL, long-term		oral	systemic	70 mg/kg bw/day
10213-79-3	Disodium metasilicate pentahydrat			
Consumer DNEL, long-term		oral	systemic	0,74 mg/kg bw/day
Worker DNEL, long-term		dermal	systemic	1,49 mg/kg bw/day
Consumer DNEL, long-term		inhalation	systemic	1,55 mg/m ³
Worker DNEL, long-term		inhalation	systemic	6,22 mg/m ³
1471314-81-4	Amides, C12-18 (even numbered), N-[3-(dimethylamino) propyl], N'-oxides			
Worker DNEL, long-term		inhalation	systemic	3,52 mg/m ³
Worker DNEL, long-term		dermal	systemic	5,0 mg/kg bw/day
Consumer DNEL, long-term		inhalation	systemic	0,87 mg/m ³
Consumer DNEL, long-term		dermal	systemic	2,5 mg/kg bw/day
Consumer DNEL, long-term		oral	systemic	0,05 mg/kg bw/day

TICKOPUR R 33

Revision date: 23.06.2023

No: 83023

Page 5 of 10

PNEC values

CAS No	Substance	Value
Environmental compartment		
7320-34-5	Tetrapotassium pyrophosphate	
Freshwater		0,05 mg/l
Marine water		0,005 mg/l
10213-79-3	Disodium metasilicate pentahydrat	
Freshwater		7,5 mg/l
Marine water		1 mg/l
Micro-organisms in sewage treatment plants (STP)		1000 mg/l
1471314-81-4	Amides, C12-18 (even numbered), N-[3-(dimethylamino) propyl], N'-oxides	
Freshwater		0,0303 mg/l
Marine water		0,00303 mg/l
Freshwater sediment		0,214 mg/kg
Marine sediment		0,0214 mg/kg
Micro-organisms in sewage treatment plants (STP)		9,7 mg/l
Soil		0,000025 mg/kg

8.2. Exposure controls

Appropriate engineering controls

Refer to chapter 7. No further action is necessary.

Individual protection measures, such as personal protective equipment

Eye/face protection

Wear eye/face protection.

Hand protection

Suitable material:

PE (polyethylene). Layer thickness: 0,5 mm penetration time (maximum wearing period): >=8h

CR (polychloroprenes, Chloroprene rubber). 0,5 mm penetration time (maximum wearing period): >=8h

NBR (Nitrile rubber). 0,35 mm penetration time (maximum wearing period): >=8h

Butyl rubber. FKM (Fluoroelastomer (Viton)). 0,5 mm penetration time (maximum wearing period): >=8h

Breakthrough times and swelling characteristics of the material must be taken into consideration.

Recommended protective gloves brand: Camapren 722, Manufacturer: KCL, or comparable makes from other companies.

Skin protection

Skin protection: not required.

Respiratory protection

Respiratory protection not required.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state:	liquid
Colour:	colourless - light yellow
Odour:	characteristic

Melting point/freezing point:

Test method
-6 °C

TICKOPUR R 33

Revision date: 23.06.2023

No: 83023

Page 6 of 10

Boiling point or initial boiling point and boiling range:	>100 °C
Flash point:	---
pH-Value (at 20 °C):	13,2 (conc.) 11,1 (1 %) DIN 51369
Water solubility:	complete miscible
Density (at 20 °C):	1,13 g/cm ³ DIN 12791

9.2. Other information**Information with regard to physical hazard classes**

Explosive properties
not Explosive.
Oxidizing properties
not oxidizing.

SECTION 10: Stability and reactivity**10.1. Reactivity**

Exothermic reactions with: acid, concentrated.

10.2. Chemical stability

The product is chemically stable under normal ambient conditions.

10.3. Possibility of hazardous reactions

None, in case of proper use.

10.4. Conditions to avoid

Thermal decomposition can lead to the escape of irritating gases and vapors.

10.5. Incompatible materials

acid, concentrated.

10.6. Hazardous decomposition products

None, in case of proper use.

Further information

Do not mix with other products.

SECTION 11: Toxicological information**11.1. Information on hazard classes as defined in GB CLP Regulation****Acute toxicity**

Based on available data, the classification criteria are not met.

TICKOPUR R 33

Revision date: 23.06.2023

No: 83023

Page 7 of 10

CAS No	Chemical name				
	Exposure route	Dose	Species	Source	Method
7320-34-5	Tetrapotassium pyrophosphate				
	oral	LD50 >2000 mg/kg	mouse		
	dermal	LD50 7940 mg/kg	rabbit		
111798-26-6	Phosphoric acid ester, sodium-salt				
	oral	LD50 >2000 mg/kg	Ratte		
51981-21-6	N,N-bis(carboxylatomethyl)-L-glutamate, Sodium salt				
	oral	LD50 >5000 mg/kg	rat		Calculated
10213-79-3	Disodium metasilicate pentahydrat				
	oral	LD50 1349 mg/kg	rat		
	dermal	LD50 >5000 mg/kg	rat		EPA OPPTS 870.1200
1471314-81-4	Amides, C12-18 (even numbered), N-[3-(dimethylamino) propyl], N'-oxides				
	oral	LD50 1000 mg/kg	rat		
	dermal	LD50 >2000 mg/kg			

Irritation and corrosivity

- Causes skin irritation.
- Causes serious eye damage.
- Risk of serious damage to eyes.
- Irritant effect on the skin: irritant.

Sensitising effects

Based on available data, the classification criteria are not met.
no danger of sensitization.

Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

12.1. Toxicity

Technically correct releases of minimal concentrations to adapted biological sewage treatment facility, will not disturb the biodegradability of activated sludge. due to the alkaline character of the product, usually, it has to be neutralized before contaminated effluents are introduced into the waste water treatment system.

TICKOPUR R 33

Revision date: 23.06.2023

No: 83023

Page 8 of 10

CAS No	Chemical name					
	Aquatic toxicity	Dose	[h] [d]	Species	Source	Method
7320-34-5	Tetrapotassium pyrophosphate					
	Acute fish toxicity	LC50 >100 mg/l	96 h	Oncorhynchus mykiss		OECD 203
	Acute crustacea toxicity	EC50 >100 mg/l	48 h	Daphnia magna		EPA OTS 979.1300
	Fish toxicity	NOEC 100 mg/l	4 d	Oncorhynchus mykiss		OECD 203
	Algae toxicity	NOEC 1000 mg/l	3 d	desmodesmus subspicatus		
	Crustacea toxicity	NOEC 100 mg/l	2 d	Daphnia magna		EPA OTS 979.1300
111798-26-6	Phosphoric acid ester, sodium-salt					
	Acute fish toxicity	LC50 260 mg/l	96 h	Leuciscus idus		DIN 38412/15
	Acute crustacea toxicity	EC50 267 mg/l	48 h	Daphnia magna		DIN 38412/11
51981-21-6	N,N-bis(carboxylatomethyl)-L-glutamate, Sodium salt					
	Acute fish toxicity	LC50 >100 mg/l	96 h	Oncorhynchus mykiss		OECD 203
	Acute algae toxicity	ErC50 >100 mg/l	72 h	Desmodesmus subspicatus	OECD 201	
	Acute crustacea toxicity	EC50 >100 mg/l	48 h	Daphnien		OECD 202
10213-79-3	Disodium metasilicate pentahydrat					
	Acute fish toxicity	LC50 210 mg/l	96 h	Danio rerio		ISO 7346/1
	Acute algae toxicity	ErC50 >345,4 mg/l	72 h	Scenedesmus subspicatus		DIN 38412
	Acute crustacea toxicity	EC50 1700 mg/l	48 h	Daphnia magna		
1471314-81-4	Amides, C12-18 (even numbered), N-[3-(dimethylamino) propyl], N'-oxides					
	Acute fish toxicity	LC50 0,68 mg/l	96 h	Oncorhynchus mykiss		OECD 203
	Acute algae toxicity	ErC50 0,705 mg/l	72 h	Pseudokirchneriella subcapitata		OECD 201
	Acute crustacea toxicity	EC50 19,9 mg/l	48 h	Daphnia magna		OECD 202

12.2. Persistence and degradability

The surfactants contained in this preparation comply with the biodegradability criteria as laid down in Regulation (EC) No.648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer.

TICKOPUR R 33

Revision date: 23.06.2023

No: 83023

Page 9 of 10

CAS No	Chemical name	Method	Value	d	Source
		Evaluation			
111798-26-6	Phosphoric acid ester, sodium-salt				
	OECD 301A	62 %	28		
	leicht biologisch abbaubar				
51981-21-6	N,N-bis(carboxylatomethyl)-L-glutamate, Sodium salt				
	OECD 301D	76 %	28		
1471314-81-4	Amides, C12-18 (even numbered), N-[3-(dimethylamino) propyl], N'-oxides				
	OECD 301 B	68 %	28		

12.3. Bioaccumulative potential

On the basis of existing data about disposal/decomposition and bio-accumulation potential, long term environmental damage is unlikely.

Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
51981-21-6	N,N-bis(carboxylatomethyl)-L-glutamate, Sodium salt	-11,95

12.4. Mobility in soil

No data available

12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to UK REACH.
not applicable

12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

12.7. Other adverse effects

No data available

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal recommendations

According to EAKV, allocation of waste identity numbers/waste descriptions must be carried out in a specific way for every industry and process.

List of Wastes Code - residues/unused products

200129 MUNICIPAL WASTES (HOUSEHOLD WASTE AND SIMILAR COMMERCIAL, INDUSTRIAL AND INSTITUTIONAL WASTES) INCLUDING SEPARATELY COLLECTED FRACTIONS; separately collected fractions (except 15 01); detergents containing hazardous substances; hazardous waste

List of Wastes Code - used product

200129 MUNICIPAL WASTES (HOUSEHOLD WASTE AND SIMILAR COMMERCIAL, INDUSTRIAL AND INSTITUTIONAL WASTES) INCLUDING SEPARATELY COLLECTED FRACTIONS; separately collected fractions (except 15 01); detergents containing hazardous substances; hazardous waste

Contaminated packaging

Completely emptied packings can be re-cycled.

SECTION 14: Transport information

Other applicable information

Not a hazardous material with respect to transportation regulations.

TICKOPUR R 33

Revision date: 23.06.2023

No: 83023

Page 10 of 10

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulatory information

Restrictions on use (REACH, annex XVII):

Entry 3

2004/42/EC (VOC): 0 % (0g/l)

National regulatory information

Water hazard class (D): 1 - slightly hazardous to water

15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information

Changes

Data changed from previous versions: 1.4., 3.2.

Classification for mixtures and used evaluation method according to GB CLP Regulation

Classification	Classification procedure
Skin Irrit. 2; H315	Calculation method
Eye Dam. 1; H318	Calculation method

Relevant H and EUH statements (number and full text)

H290	May be corrosive to metals.
H302	Harmful if swallowed.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H335	May cause respiratory irritation.
H400	Very toxic to aquatic life.
H412	Harmful to aquatic life with long lasting effects.

Further Information

Training instructions: Notice the directions for use on the label.

The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights.

Identified uses

No	Short title	LCS	SU	PC	PROC	ERC	AC	TF	Specification
1	TICKOPUR R 33	IS, PW, C	0	35	8a, 9, 13	8a	0	26	

LCS: Life cycle stages

SU: Sectors of use

PC: Product categories

PROC: Process categories

ERC: Environmental release categories

AC: Article categories

TF: Technical functions

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)