

according to Regulation (EC) No. 1907/2006

xynon

Revision date: 05.12.2022 Product code: 10177 Page 1 of 9

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1. Product identifier

xynon

UFI: 8R5W-4064-300P-T44T

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### Use of the substance/mixture

Isolating agent for use in dental technology.

### 1.3. Details of the supplier of the safety data sheet

Company name: DETAX GmbH
Street: Carl-Zeiss-Straße 4
Place: D-76275 Ettlingen

Telephone: +49 7243/510-0 Telefax: +49 7243/510-100

e-mail: post@detax.com Internet: www.detax.com

Responsible Department: This number is only obtainable during office hours

(Monday - Thursday 8.00 a.m. - 5.00 p.m., Friday 8.00 a.m. - 4.00 p.m.)

**1.4. Emergency telephone** +1-800-424-9300 (CHEMTREC worldwide)

number:

#### **SECTION 2: Hazards identification**

## 2.1. Classification of the substance or mixture

### Regulation (EC) No. 1907/2006

Hazard categories:

Flammable liquids: Flam. Liq. 2

Respiratory or skin sensitisation: Skin Sens. 1

Hazardous to the aquatic environment: Aquatic Chronic 3

Hazard Statements:

Highly flammable liquid and vapour. May cause an allergic skin reaction.

Harmful to aquatic life with long lasting effects.

# 2.2. Label elements

# Regulation (EC) No. 1907/2006

# Hazard components for labelling

Anethole Estragole D-Limonene

Signal word: Danger

Pictograms:





## **Hazard statements**

H225 Highly flammable liquid and vapour. H317 May cause an allergic skin reaction.

H412 Harmful to aquatic life with long lasting effects.

# **Precautionary statements**

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No

smoking.



according to Regulation (EC) No. 1907/2006

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.

P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing

protection.

P333+P313 If skin irritation or rash occurs: Get medical advice/attention.

P352 Wash with plenty of water.

P370+P378 In case of fire: Use Carbon dioxide (CO2), Foam, Extinguishing powder to extinguish.

P403+P235 Store in a well-ventilated place. Keep cool.

P501 Dispose of contents/container to according to local and applicable legislation of dispose of

waste.

### 2.3. Other hazards

No information available.

# **SECTION 3: Composition/information on ingredients**

### 3.2. Mixtures

#### **Chemical characterization**

Alcoholic solution with auxiliary matters + perfume.

#### **Hazardous components**

CAS No	Chemical name					
	EC No	Index No REACH No				
	Classification (Regulation (EC) No.	•				
	Anethole 01-2119979097-22					
	Skin Sens. 1, Aquatic Chronic 2; H					
	Estragole		0,1 - < 1 %			
			01-2120783278-41			
	Carc. 2, Muta. 2, Acute Tox. 4, Ski	n Sens. 1; H351 H341 H302 H317				
	D-Limonene			0,1 - < 1 %		
		01-2111948822-72				
	Flam. Liq. 3, Skin Irrit. 2, Skin Sens H315 H317 H304 H400 H412	quatic Chronic 3; H226				

Full text of H and EUH statements: see section 16.

Specific Conc. Limits, M-factors and ATE

CAS No	EC No	Chemical name	Quantity				
	Specific Cond	c. Limits, M-factors and ATE					
	Anethole						
	dermal: LD5	dermal: LD50 = >5000 mg/kg; oral: LD50 = 2090 mg/kg					
		Estragole	0,1 - < 1 %				
	dermal: LD5	0 = 5000 mg/kg; oral: LD50 = 1230 mg/kg					
		D-Limonene	0,1 - < 1 %				
	dermal: LD5	0 = >2000 mg/kg; oral: LD50 = 4400 mg/kg					

# **SECTION 4: First aid measures**

# 4.1. Description of first aid measures

### After inhalation

Provide fresh air. When in doubt or if symptoms are observed, get medical advice.

### After contact with skin

After contact with skin, wash immediately with polyethylene glycol, followed by plenty of water. Take off immediately all contaminated clothing and wash it before reuse. Medical treatment necessary.





according to Regulation (EC) No. 1907/2006

## xynon

Revision date: 05.12.2022 Product code: 10177 Page 3 of 9

#### After contact with eyes

Rinse immediately carefully and thoroughly with eye-bath or water. In case of eye irritation consult an ophthalmologist.

### After ingestion

Observe risk of aspiration if vomiting occurs. Rinse mouth immediately and drink plenty of water. Seek immediately medical advice. Do not induce vomiting. In case of spontaneous vomiting take care of an unhindered flow out of the vomit (danger of suffocation).

### 4.2. Most important symptoms and effects, both acute and delayed

No information available.

### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

# **SECTION 5: Firefighting measures**

### 5.1. Extinguishing media

# Suitable extinguishing media

Carbon dioxide (CO2), Foam, Extinguishing powder.

# Unsuitable extinguishing media

Water.

#### 5.2. Special hazards arising from the substance or mixture

Flammable. Vapours can form explosive mixtures with air.

# 5.3. Advice for firefighters

Wear a self-contained breathing apparatus and chemical protective clothing. Full protection suit.

## **Additional information**

Use water spray jet to protect personnel and to cool endangered containers. Suppress gases/vapours/mists with water spray jet. Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water

## **SECTION 6: Accidental release measures**

### 6.1. Personal precautions, protective equipment and emergency procedures

#### General advice

Remove all sources of ignition. Provide adequate ventilation. Do not breathe gas/fumes/vapour/spray. Avoid contact with skin, eyes and clothes. Use personal protection equipment.

#### 6.2. Environmental precautions

Do not allow uncontrolled discharge of product into the environment. Danger of explosion

# 6.3. Methods and material for containment and cleaning up

#### Other information

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal.

### 6.4. Reference to other sections

Safe handling: see section 7

Personal protection equipment: see section 8

Disposal: see section 13

# **SECTION 7: Handling and storage**

## 7.1. Precautions for safe handling

#### Advice on safe handling

No special measures are necessary.

**DETAX GmbH** 



# **Safety Data Sheet**

according to Regulation (EC) No. 1907/2006

### xynon

Revision date: 05.12.2022 Product code: 10177 Page 4 of 9

### Advice on protection against fire and explosion

Keep away from sources of ignition - No smoking. Take precautionary measures against static discharges. Vapours can form explosive mixtures with air.

#### Advice on general occupational hygiene

Remove contaminated, saturated clothing immediately. Draw up and observe skin protection programme. Wash hands and face before breaks and after work and take a shower if necessary. When using do not eat or drink.

# 7.2. Conditions for safe storage, including any incompatibilities

## Requirements for storage rooms and vessels

Keep container tightly closed. Keep in a cool, well-ventilated place. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

## Hints on joint storage

Do not store together with: Oxidising agent. Pyrophoric or self-heating substances.

## Further information on storage conditions

Keep only in the original container in a cool, dry and well-ventilated place, away from foodstuffs.

### 7.3. Specific end use(s)

Insulating agent for use in dental laboratories.

For use by trained specialist staff.

## **SECTION 8: Exposure controls/personal protection**

### 8.1. Control parameters

### **Exposure limits (EH40)**

CAS No	Substance	ppm	mg/m³	fibres/ml	Category	Origin
64-17-5	Ethanol	1000	1920		TWA (8 h)	WEL

#### 8.2. Exposure controls

#### Appropriate engineering controls

If handled uncovered, arrangements with local exhaust ventilation have to be used. Do not breathe gas/fumes/vapour/spray.

## Individual protection measures, such as personal protective equipment

#### Eye/face protection

Wear eye/face protection.

## Hand protection

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

Suitable are gloves of the following material: Butyl caoutchouc (butyl rubber), FKM (fluoro rubber), CR (polychloroprene, chloroprene rubber)

#### Skin protection

Flame-retardant protective clothing. Wear anti-static footwear and clothing

# **Respiratory protection**

In case of inadequate ventilation wear respiratory protection.

### **SECTION 9: Physical and chemical properties**

# 9.1. Information on basic physical and chemical properties

Physical state: liquid:



according to Regulation (EC) No. 1907/2006

xynon

Revision date: 05.12.2022 Product code: 10177 Page 5 of 9

Colour: light yellow Odour: like aniseed

**Test method** 

Melting point/freezing point: not determined

Boiling point or initial boiling point and 73 °C DIN 51356

boiling range:

Flammability

Solid/liquid: not applicable
Gas: not applicable
Lower explosion limits: 3,3 vol. %
Upper explosion limits: 14,4 vol. %

Flash point: 2 °C DIN 51755
Auto-ignition temperature: >400 °C DIN 51794

Decomposition temperature: not determined pH-Value (at 20 °C): 6,5 Water solubility: miscible

Solubility in other solvents

not determined

Partition coefficient n-octanol/water: not determined Vapour pressure: 41 hPa

(at 20 °C)

Vapour pressure: 200 hPa

(at 50 °C)

Density (at 20 °C): 0,86 g/cm<sup>3</sup> DIN 51757

Relative vapour density: not determined

9.2. Other information

Information with regard to physical hazard classes

Self-ignition temperature

Solid: not applicable
Gas: not applicable

Oxidizing properties Not oxidizing.

Other safety characteristics

Evaporation rate: not determined Solid content: not determined

# **SECTION 10: Stability and reactivity**

#### 10.1. Reactivity

Flammable, Ignition hazard.

## 10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

# 10.3. Possibility of hazardous reactions

Reacts with: spontaneously flammable and combustible materials. alkali and alkaline earth metals (violent exothermic reaction).

## 10.4. Conditions to avoid

Keep away from sources of heat (e.g. hot surfaces), sparks and open flames. Vapours can form explosive mixtures with air. Keep away from heat, naked flames and other sources of ignation.

# 10.5. Incompatible materials

No information available.



according to Regulation (EC) No. 1907/2006

### xynon

Revision date: 05.12.2022 Product code: 10177 Page 6 of 9

# 10.6. Hazardous decomposition products

No known hazardous decomposition products.

# **SECTION 11: Toxicological information**

# 11.1. Information on hazard classes as defined in Regulation (EC) No. 1907/2006

#### **Acute toxicity**

Based on available data, the classification criteria are not met.

CAS No	Chemical name								
	Exposure route	Dose		Species	Source	Method			
	Anethole								
	oral	LD50 mg/kg	2090	Rat					
	dermal	LD50 mg/kg	>5000	Rabbit					
	Estragole								
	oral	LD50 mg/kg	1230	Rat					
	dermal	LD50 mg/kg	5000	Rabbit					
	D-Limonene								
	oral	LD50 mg/kg	4400	Rat					
	dermal	LD50 mg/kg	>2000						

### Irritation and corrosivity

Based on available data, the classification criteria are not met.

# Sensitising effects

May cause an allergic skin reaction. (Anethole; Estragole; D-Limonene)

# Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

# STOT-single exposure

Based on available data, the classification criteria are not met.

# STOT-repeated exposure

Based on available data, the classification criteria are not met.

## **Aspiration hazard**

Based on available data, the classification criteria are not met.

## Additional information on tests

The mixture is classified as hazardous according to regulation (EC) No 1272/2008 [CLP].

# **SECTION 12: Ecological information**

## 12.1. Toxicity

Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.



according to Regulation (EC) No. 1907/2006

xynon

Revision date: 05.12.2022 Product code: 10177 Page 7 of 9

CAS No	Chemical name								
	Aquatic toxicity	Dose	Dose		Species	Source	Method		
	D-Limonene								
	Acute fish toxicity	LC50	0,7 mg/l		Pimephales promelas (fathead minnow)				
	Acute crustacea toxicity	EC50	0,4 mg/l		Daphnia magna (Big water flea)				
	Fish toxicity	NOEC	4 mg/l		Scenedesmus subspicatus				

### 12.2. Persistence and degradability

The product has not been tested.

### 12.3. Bioaccumulative potential

The product has not been tested.

# 12.4. Mobility in soil

The product has not been tested.

### 12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to UK REACH. Not identivied as PBT/ vPvB substances

# 12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

#### 12.7. Other adverse effects

No information available.

# **Further information**

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil.

# **SECTION 13: Disposal considerations**

# 13.1. Waste treatment methods

# **Disposal recommendations**

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil. Dispose of waste according to applicable legislation.

# Contaminated packaging

Non-contaminated packages may be recycled. Handle contaminated packages in the same way as the substance itself.

# **SECTION 14: Transport information**

### Land transport (ADR/RID)

14.1. UN number or ID number: UN 1993

14.2. UN proper shipping name: FLAMMABLE LIQUID, N.O.S.

Contains ethanol

14.3. Transport hazard class(es):314.4. Packing group:IIHazard label:3

Limited quantity: 1 L/ 30 kg

Transport category: 2
Hazard No: 33
Tunnel restriction code: D/E
Other applicable information (land transport)

Contains ethanol



according to Regulation (EC) No. 1907/2006

xynon

Revision date: 05.12.2022 Product code: 10177 Page 8 of 9

Marine transport (IMDG)

14.1. UN number or ID number: UN 1993

**14.2. UN proper shipping name:** FLAMMABLE LIQUID, N.O.S.

Contains ethanol

14.3. Transport hazard class(es):314.4. Packing group:IIHazard label:3

Limited quantity: 1 L/ 30 kg EmS: F-E, S-E

Other applicable information (marine transport)

Contains ethanol Flash point: 2°C c.c.

Air transport (ICAO-TI/IATA-DGR)

14.1. UN number or ID number: UN 1993

14.2. UN proper shipping name: FLAMMABLE LIQUID, N.O.S.

Contains ethanol

14.3. Transport hazard class(es):314.4. Packing group:IIHazard label:3

Limited quantity Passenger: 1 L/ 30 kg
Passenger LQ: Y341
Excepted quantity: E2

IATA-packing instructions - Passenger:353IATA-max. quantity - Passenger:5 LIATA-packing instructions - Cargo:364IATA-max. quantity - Cargo:60 L

Other applicable information (air transport)

Contains ethanol

# 14.6. Special precautions for user

Warning: Combustible liquid.

### 14.7. Maritime transport in bulk according to IMO instruments

not applicable

# **SECTION 15: Regulatory information**

## 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

### **EU** regulatory information

Restrictions on use (REACH, annex XVII):

Entry 3, Entry 40, Entry 75

2010/75/EU (VOC): 67,914 % (584,06 g/l) 2004/42/EC (VOC): 67,914 % (584,06 g/l)

**Additional information** 

To follow: 850/2004/EC, 79/117/EEC, 689/2008/EC

**National regulatory information** 

Employment restrictions: Observe restrictions to employment for juveniles according to the 'juvenile

work protection guideline' (94/33/EC).

Water hazard class (D): 3 - highly hazardous to water

Skin resorption/Sensitization: Causes allergic hypersensitivity reactions.

### 15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.



according to Regulation (EC) No. 1907/2006

#### xynon

Revision date: 05.12.2022 Product code: 10177 Page 9 of 9

### **SECTION 16: Other information**

#### Abbreviations and acronyms

ADR: Accord européen sur le transport des marchandises dangereuses par Route

(European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonized System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service LC50: Lethal concentration, 50%

LD50: Lethal dose, 50%

### Relevant H and EUH statements (number and full text)

H225	Highly flammable liquid and vapour.
H226	Flammable liquid and vapour.
H302	Harmful if swallowed.
H304	May be fatal if swallowed and enters airways.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H341	Suspected of causing genetic defects.
H351	Suspected of causing cancer.
H400	Very toxic to aquatic life.
H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.

#### **Further Information**

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

#### Identified uses

LCS: Life cycle stages

No	Short title	LCS	SU	PC	PROC	ERC	AC	TF	Specification
1	Gewerblich	-	-	-	-	-	-	-	2

PC: Product categories
ERC: Environmental release categories
TF: Technical functions

SU: Sectors of use PROC: Process categories AC: Article categories

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)