according to Regulation (EC) No 1907/2006

tempofit® semi (Base + Catalyst)

Revision date: 02.10.2019

Product code: 915

Page 1 of 10

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

tempofit® semi (Base + Catalyst)

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

Composite material for use in dentistry.

1.3. Details of the supplier of the safe	ty data sheet	
Company name:	DETAX GmbH & Co. KG	
Street:	Carl-Zeiss-Strasse	
Place:	D-76275 Ettlingen	
Telephone:	+49 7243/510-0	Telefax:+49 7243/510-100
e-mail:	post@detax.de	
Internet:	www.detax.de	
Responsible Department:	Emergency number:	
	+49 7243/510-0	
	This number is only obtainable during office ho	ours (Monday - Thursday 8.00 a.m.
	- 5.00 p.m., Friday 8.00 a.m 4.00 p.m.)	
1.4. Emergency telephone	+49 7243/510-0	
number:	This number is only obtainable during office ho	ours (Monday - Thursday 8.00 a.m.
	- 5.00 p.m., Friday 8.00 - 4.00 p.m.)	

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Regulation (EC) No. 1272/2008

Hazard categories: Skin corrosion/irritation: Skin Irrit. 2 Serious eye damage/eye irritation: Eye Irrit. 2 Respiratory or skin sensitisation: Skin Sens. 1A Hazardous to the aquatic environment: Aquatic Chronic 3 Hazard Statements: Causes skin irritation. Causes serious eye irritation. May cause an allergic skin reaction. Harmful to aquatic life with long lasting effects.

2.2. Label elements

Regulation (EC) No. 1272/2008

Hazard components for labelling

2-hydroxyethyl methacrylate isopropylidenediphenol peg-2 dimethacrylate Triethylene glycol dimethacrylate aliphatic urethane acrylate

Signal word:

Pictograms:



according to Regulation (EC) No 1907/2006

tempofit® semi (Base + Catalyst)

Revision date: 02.10.2019

Product code: 915

Page 2 of 10

Hazard statements

Causes skin irritation.
May cause an allergic skin reaction.
Causes serious eye irritation.
Harmful to aquatic life with long lasting effects.

Precautionary statements

bouulionaly olutonion	
P261	Avoid breathing dust/fume/gas/mist/vapours/spray.
P280	Wear protective gloves/protective clothing/eye protection/face protection.
P302+P352	IF ON SKIN: Wash with plenty of water.
P333+P313	If skin irritation or rash occurs: Get medical advice/attention.
P362+P364	Take off contaminated clothing and wash it before reuse.
P501	Dispose of contents/ container in accordance with local and national regulations.

Additional advice on labelling

According to Regulation (EC) 1272/2008, art.1 No. 5 (d) this product as a medical product must not be labelled!

2.3. Other hazards

No information available.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Hazardous components

CAS No	Chemical name	Quantity		
	EC No	Index No	REACH No	
	GHS Classification	•	·	
27138-31-4	Dipropylene glycol dibenzoate			45 - < 50 %
	248-258-5		01-2119529241-49	
	Aquatic Chronic 3; H412			
41637-38-1	isopropylidenediphenol peg-2 dim	ethacrylate		10 - < 15 %
	Skin Irrit. 2, Eye Irrit. 2, Skin Sens	. 1A, STOT SE 3; H315 H	319 H317 H335	
109-16-0	Triethylene glycol dimethacrylate	10 - < 15 %		
	203-652-6		01-2119969287-21	
	Skin Sens. 1B; H317			
72846-00-5	1-benzyl-5-phenyl-hexahydropyrin	5 - < 10 %		
			01-2120226211-75	
	Acute Tox. 4; H302			
	aliphatic urethane acrylate			5 - < 10 %
	906-949-5		01-2120266262-60	
	Skin Sens. 1B, Aquatic Chronic 2;	H317 H411		
868-77-9	2-hydroxyethyl methacrylate	< 1 %		
	212-782-2	607-124-00-X		
	Skin Irrit. 2, Eye Irrit. 2, Skin Sens			

Full text of H and EUH statements: see section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures



according to Regulation (EC) No 1907/2006

tempofit® semi (Base + Catalyst)

Revision date: 02.10.2019

Product code: 915

Page 3 of 10

After inhalation

Provide fresh air. When in doubt or if symptoms are observed, get medical advice.

After contact with skin

After contact with skin, wash immediately with plenty of water and soap. Take off immediately all contaminated clothing and wash it before reuse. Medical treatment necessary.

After contact with eyes

After contact with the eyes, rinse with water with the eyelids open for a sufficient length of time, then consult an ophthalmologist immediately.

After ingestion

Rinse mouth immediately and drink plenty of water.

4.2. Most important symptoms and effects, both acute and delayed

No information available.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings.

5.2. Special hazards arising from the substance or mixture

Non-flammable.

5.3. Advice for firefighters

Wear a self-contained breathing apparatus and chemical protective clothing. Full protection suit.

Additional information

Suppress gases/vapours/mists with water spray jet. Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Provide adequate ventilation. Do not breathe gas/fumes/vapour/spray. Avoid contact with skin, eyes and clothes. Use personal protection equipment.

6.2. Environmental precautions

Do not allow to enter into surface water or drains.

6.3. Methods and material for containment and cleaning up

Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal.

6.4. Reference to other sections

Safe handling: see section 7 Personal protection equipment: see section 8 Disposal: see section 13

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

No special measures are necessary.

Advice on protection against fire and explosion

No special fire protection measures are necessary.

according to Regulation (EC) No 1907/2006

tempofit® semi (Base + Catalyst)

Revision date: 02.10.2019

Product code: 915

Page 4 of 10

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep container tightly closed.

Hints on joint storage

No special measures are necessary.

Further information on storage conditions

Keep only in the original container in a cool, dry and well-ventilated place, away from foodstuffs.

7.3. Specific end use(s)

Composite material for teh fabrication of dental restorations like provisional crowns and bridges. For use by trained specialist staff.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.2. Exposure controls

Protective and hygiene measures

Remove contaminated, saturated clothing immediately. Draw up and observe skin protection programme. Wash hands and face before breaks and after work and take a shower if necessary. When using do not eat, drink, smoke, sniff.

Eye/face protection

Suitable eye protection: goggles.

Hand protection

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

Suitable are gloves of the following material: Butyl caoutchouc (butyl rubber)

Skin protection

@1501.B151149.

Respiratory protection

In case of inadequate ventilation wear respiratory protection.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state: Colour: Odour:	Paste , low-viscosity base: tooth-like , catalyst: white odourless		
			Test method
pH-Value:		not determined	
Changes in the physical state			
Melting point:		not determined	
Initial boiling point and boiling range:		not determined	
Flash point:		>100 °C	DIN 51755
Flammability Solid:		not applicable	

Safetv Data Sheet

	Salety Data Sileet	
	according to Regulation (EC) No 1907/2006	
	tempofit® semi (Base + Catalyst)	
Revision date: 02.10.2019	Product code: 915	Page 5 of 10
Gas:	not applicable	
Explosive properties The product is not: Explosive.		
Lower explosion limits:	not determined	
Upper explosion limits:	not determined	
Auto-ignition temperature Solid: Gas:	not applicable not applicable	
Decomposition temperature: Oxidizing properties Not oxidizing.	not determined	
Vapour pressure: (at 20 °C)	<1 hPa	
Density (at 20 °C):	1,5 g/cm³	DIN 51757
Water solubility: Solubility in other solvents not determined	insoluble	
Partition coefficient:	not determined	
Viscosity / dynamic: (at 23 °C)	20000 mPa·s	Rheostress
Vapour density:	not determined	
Evaporation rate:	not determined	
9.2. Other information		
Solid content:	not determined	

SECTION 10: Stability and reactivity

10.1. Reactivity

No hazardous reaction when handled and stored according to provisions.

10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

10.3. Possibility of hazardous reactions

Reacts with : oxidising agents, radicals forming substances or heavy metal ions.

10.4. Conditions to avoid

The product may polymerise under the influence of higher temperatures, therefore keep in tightly closed containers at temperature not exeeding 25°C/ 77°F.

10.5. Incompatible materials

No information available.

10.6. Hazardous decomposition products

In case of fire, acrid acrylic fumes may occur.

SECTION 11: Toxicological information

11.1. Information on toxicological effects



according to Regulation (EC) No 1907/2006

tempofit® semi (Base + Catalyst)

Revision date: 02.10.2019

Product code: 915

Page 6 of 10

Acute toxicity

Based on available data, the classification criteria are not met.

For the product itself no toxicological data are available. In products with a comparable composition, a LD50 (orally, species rat) of > 5000 mg/kg has been found.

CAS No	Chemical name					
	Exposure route	Dose		Species	Source	Method
27138-31-4	Dipropylene glycol diben	zoate		_		
	oral	LD50 mg/kg	3914	Rat		
	dermal	LD50 mg/kg	>2000	Rat		
	inhalation (4 h) vapour	LC50 mg/l	>200	Rat		
109-16-0	Triethylene glycol dimethacrylate					
	oral	LD50 mg/kg	10800	Rat	GESTIS	
72846-00-5	1-benzyl-5-phenyl-hexahydropyrimidine-2,4,-6-trione					
	oral	ATE mg/kg	500			
	aliphatic urethane acrylate					
	oral	LD50 mg/kg	>5000	Rat	OECD 401	
868-77-9	2-hydroxyethyl methacry	2-hydroxyethyl methacrylate				
	oral	LD50 mg/kg	5050	Rat		
	dermal	LD50 mg/kg	>3000	Rabbit		

Irritation and corrosivity

Causes skin irritation.

Causes serious eye irritation.

Sensitising effects

May cause an allergic skin reaction. (isopropylidenediphenol peg-2 dimethacrylate; Triethylene glycol dimethacrylate; aliphatic urethane acrylate; 2-hydroxyethyl methacrylate)

Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

Additional information on tests

This mixture is classified as hazardous according to regulation (EC) No. 1272/2008 [CLP].

SECTION 12: Ecological information

12.1. Toxicity

Harmful to aquatic life with long lasting effects.

according to Regulation (EC) No 1907/2006

tempofit® semi (Base + Catalyst)

Revision date: 02.10.2019

Product code: 915

Page 7 of 10

CAS No	Chemical name						
	Aquatic toxicity	Dose		[h] [d]	Species	Source	Method
27138-31-4	Dipropylene glycol dibenz	Dipropylene glycol dibenzoate					
	Acute fish toxicity	LC50	3,7 mg/l	96 h			
	aliphatic urethane acrylate						
	Acute algae toxicity	ErC50 mg/l	>0,68	72 h	(algae)	OECD 201	
	Acute crustacea toxicity	EC50 mg/l	>1,2	48 h	(daphnia)	OECD 202	
868-77-9	2-hydroxyethyl methacrylate						
	Acute fish toxicity	LC50	227 mg/l	96 h	Pimephales promelas		

12.2. Persistence and degradability

The product has not been tested.

CAS No	Chemical name				
	Method	Value		d	Source
	Evaluation		-		
27138-31-4	Dipropylene glycol dibenzoate				
	CO2 Evolution Test	87%	2	28	
	Readily biodegradable (according to OECD criteria).				
	aliphatic urethane acrylate				
	OECD 301B	22%	2	28	
868-77-9	2-hydroxyethyl methacrylate				
	84	%	2	28	
	Leicht biologisch abbaubar				

12.3. Bioaccumulative potential

The product has not been tested.

Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
72846-00-5	1-benzyl-5-phenyl-hexahydropyrimidine-2,4,-6-trione	2,3
868-77-9	2-hydroxyethyl methacrylate	0,47

12.4. Mobility in soil

The product has not been tested.

12.5. Results of PBT and vPvB assessment

Not identivied as PBT/ vPvB substances

12.6. Other adverse effects

No information available.

Further information

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Advice on disposal

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil. Dispose of waste according to applicable legislation.



according to Regulation (EC) No 1907/2006

tempofit® semi (Base + Catalyst)

Revision date: 02.10.2019

Product code: 915

Page 8 of 10

Contaminated packaging

Non-contaminated packages may be recycled. Handle contaminated packages in the same way as the substance itself.

SECTION 14: Transport information

Land transport (ADR/RID)

14.1. UN number:	No dangerous good in sense of this transport regulation.				
14.2. UN proper shipping name:	No dangerous good in sense of this transport regulation.				
<u>14.3. Transport hazard class(es):</u>	No dangerous good in sense of this transport regulation.				
14.4. Packing group:	No dangerous good in sense of this transport regulation.				
Inland waterways transport (ADN)					
<u>14.1. UN number:</u>	No dangerous good in sense of this transport regulation.				
14.2. UN proper shipping name:	No dangerous good in sense of this transport regulation.				
14.3. Transport hazard class(es):	No dangerous good in sense of this transport regulation.				
14.4. Packing group:	No dangerous good in sense of this transport regulation.				
Marine transport (IMDG)					
<u>14.1. UN number:</u>	No dangerous good in sense of this transport regulation.				
14.2. UN proper shipping name:	No dangerous good in sense of this transport regulation.				
14.3. Transport hazard class(es):	No dangerous good in sense of this transport regulation.				
14.4. Packing group:	No dangerous good in sense of this transport regulation.				
Air transport (ICAO-TI/IATA-DGR)					
<u>14.1. UN number:</u>	No dangerous good in sense of this transport regulation.				
14.2. UN proper shipping name:	No dangerous good in sense of this transport regulation.				
14.3. Transport hazard class(es):	No dangerous good in sense of this transport regulation.				
14.4. Packing group:	No dangerous good in sense of this transport regulation.				
14.6. Special precautions for user	14.6. Special precautions for user				
No dangerous good in sense of this transport regulation.					
14.7. Transport in bulk according to Annex II	of Marpol and the IBC Code				

No dangerous good in sense of this transport regulation.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulatory information	
Information according to 2012/18/EU (SEVESO III):	Not subject to 2012/18/EU (SEVESO III)
National regulatory information	
Employment restrictions:	Observe restrictions to employment for juvenils according to the 'juvenile work protection guideline' (94/33/EC).
Water contaminating class (D): Skin resorption/Sensitization:	3 - highly water contaminating Causes allergic hypersensitivity reactions.

15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information

DETAX

Safety Data Sheet

according to Regulation (EC) No 1907/2006

tempofit® semi (Base + Catalyst)

Revision date: 02.10.2019

Product code: 915

Page 9 of 10

Abbreviations and acronyms

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonized System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service LC50: Lethal concentration, 50% LD50: Lethal dose, 50% CLP: Classification, labelling and Packaging REACH: Registration, Evaluation and Authorization of Chemicals GHS: Globally Harmonised System of Classification, Labelling and Packaging of Chemicals **UN: United Nations** DNEL: Derived No Effect Level DMEL: Derived Minimal Effect Level PNEC: Predicted No Effect Concentration ATE: Acute toxicity estimate LL50: Lethal loading, 50% EL50: Effect loading, 50% EC50: Effective Concentration 50% ErC50: Effective Concentration 50%, growth rate NOEC: No Observed Effect Concentration BCF: Bio-concentration factor PBT: persistent, bioaccumulative, toxic vPvB: very persistent, very bioaccumulative RID: Regulations concerning the international carriage of dangerous goods by rail ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways (Accord européen relatif au transport international des marchandises dangereuses par voies de navigation intérieures) EmS: Emergency Schedules MFAG: Medical First Aid Guide ICAO: International Civil Aviation Organization MARPOL: International Convention for the Prevention of Marine Pollution from Ships IBC: Intermediate Bulk Container VOC: Volatile Organic Compounds SVHC: Substance of Very High Concern @1602.B016012

Classification for mixtures and used evaluation method according to Regulation (EC) No. 1272/2008 [CLP]

Classification	Classification procedure
Skin Irrit. 2; H315	Calculation method
Eye Irrit. 2; H319	Calculation method
Skin Sens. 1A; H317	Calculation method
Aquatic Chronic 3; H412	Calculation method

Relevant H and EUH statements (number and full text)

H302	Harmful if swallowed.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H335	May cause respiratory irritation.
H411	Toxic to aquatic life with long lasting effects.

according to Regulation (EC) No 1907/2006

tempofit® semi (Base + Catalyst)

Revision date: 02.10.2019

Product code: 915

Page 10 of 10

H412 Harmful to aquatic life with long lasting effects.

Further Information

The information is based on present level of our knowledge. It does not, however, give assurances of product properties and establishes no contract legal rights. The receiver of our product is singulary responsible for adhering to existing laws and regulations.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)